INDEX TO KEW BULLETIN
Volume 48

INTERNATIONAL MYCOLOGICAL INSTITUTE LIBRARY 22 MAR 1995

Principal references are indicated † and illustrations *

Acalypha 173
Acanthaceae: A new species of Justicia (Acanthaceae) from southern Mexico, Salvador Acosta C. & Thomas F. Daniel 119
Acanthaceae: Notes on Acanthaceae from Pico das Almas, Bahia, Brazil, Dieter C. Wasshausen 17
Acanthaceae 17, 119, 307, 763
Accipiter nisus (L.) 170
Accipitridae 170
An account of Bidens (Compositae: Heliantheae) for Africa, Mesfin Tadesse 437
Acer pseudoplatanus L. 181
Aceranthus sagittatus Sieb. & Zucc. 809
Achyrocline DC. 256-7
—— *rugosa* Gardner 256
Acmadenia nivenii Sonder 664
Acmena 589
Acosta C., Salvador & Daniel, Thomas F.: A new species of Justicia (Acanthaceae) from southern Mexico 119
Acrididae 173
Acrocomia 234
—— *totai* Martius 225
Acronychia J.R. & G. Forst. †322
—— *laevis* J.R. & G. Forst. 322
Acrostemon 778
Actinokentia 230
Adalia decempunctata (L.) 179
Adams, C.D., Verdcourt, B.: The identity of Diodia angolensis S. Moore (Rubiaceae) 278
Additions to the Wild Fauna And Flora of the Royal Botanic Gardens, Kew, B. Verdcourt (Ed.) 169
Adhatoda bahiensis Nees 17
Aerva 787, 791, 793
—— *javanica* (Burm.f.) Juss. 791
—— *lanata* (L.) Juss. 791
—— *leucura* Moq. 791
Aeshna cyanea Muell. 173-4
—— *grandis* (L.) 173-4
—— *juncea* (L.) 174
—— *mixta* Latreille 174
Aeshnidae 173-4
Africa: An account of Bidens (Compositae: Heliantheae) for Africa, Mesfin Tadesse 437
Afrophilippia 776
Agaricaceae 183
Agathosma mundtii Cham. & Schldl. 664
—— *namaquensis* Pillans 664
—— *nivenii* Sond. 664
Agave 801
Agelenidae 172
Aglaia: A Monograph of Aglaia (Meliaceae)- a Correction, C.M. Pannell 244
Aglaia 244
—— *cinnamomea* Baker f. 244
—— *conferta* 244
Aglossa pinguinalis (L.) 177
Agrianthus Mart. ex DC. †265
—— *almasensis* D.J.N. Hind †266, *267
—— *campestris* 265
—— *empetrifolius* 265
—— *giuliettiae* D.J.N. Hind 266, *268, †269
—— *luetzelburgii* 265
—— *microlicioides* 266
—— *myrtoides* Mattf. 266, 269
—— *pungens* Mattf. 266
Agrostis castellana Boiss. & Reuter 182
Ailanthus altissima (Mill.) Swingle 181
Aiphanes 234
Aizoaceae 343-4
Aleurodiscaceae 46
Allaby, Michael (Ed.): Concise Oxford dictionary of botany (Rev.) 619
Allium paradoxum (Bieb.) G. Don 183
—— *subhirsutum* L. 182
Alloschmidia glabrata (Becc.) H.E. Moore 225
Alnetoidea alneti (Dahlb.) 176
Aloaceae: The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy, G.F. Smith & A.E. Wyk, van 105
Aloaceae 105, 107, 110-1, 801
—— tribe *Aloeae* 105
Aloe L. 105, 110
—— *aristata* Haw. 110
—— *bowiea* 111
—— *cooperi* Bak. 110
—— *humilis* (L.) Mill. 110
Alstonia scholaris 141
Alyxia Banks ex R. Br. 309
—— *daphnoides* Cunn. ex Hook. 309
—— *forsteri* Cunn. 309
—— *gynopogon* Roem. & Schult. †309
—— *squamulosa* C. Moore & F. Muell. †309
—— *stellata* J.R. & G. Forst. 309
Amaranthaceae: Omegandra, a new genus of Amaranthaceae from Australia, G.J. Leach, C.C. Townsend & M.M. Harley 787
Amaranthaceae 168, 787, 793
Amaranthus retroflexus L. 181
Amaryllidaceae: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from NE Turkey, W. Lobin, C.D. Brickell & A.P. Davis 161
Amaryllidaceae 801
Ammandra 235
Amphibia-Caudata 171
Amphimallon solstitialis (L.) 179
Amphipyra pyramidea (L.) 178
Anatomy of a dehiscent berry,The, T.J. Lawrence & P.S. Green 53
Anax imperator Leach 175
Andriapetalum 637
Angraecum purpureum silvestre Rumph. 551
—— *purpureum* 546
Anodendron paniculatum: The synonymy of Anodendron paniculatum (Apocynaceae)

Anodendron
with notes on distribution and ethnobotany in Papuasia, Paul I. Forster 139
Anodendron A. DC. 139
—— *manubriatum* Wallich ex Perr. 140
—— *oblongifolium* Hemsley 139-41
—— *paniculatum* (Roxb.) A. DC. 141-2
—— —— A. DC. †139, 141
Anomalanthus Klotzsch 771
Ansari, A.A.: Crotalaria venusta (Leguminosae: Papilionoideae), a new species from Burma 755
Anthicidae 179
Anthicus floralis (L.) 179
Anthocoris nemoralis (Fabr.) 175
—— *nemorum* (L.) 175
—— *simulans* (Reut.) 175
Antholyza 672
Anthrenus verbasci (L.) 178
Antirrhinum majus L. 181
Aphandra natalia 235
Apidae 180
Apion rufirostre (F.) 180
Apocheima pilosaria (Denis & Schiffermüller) 178
Apoclada 518
Apocynaceae: The synonymy of Anodendron paniculatum (Apocynaceae) with notes on distribution and ethnobotany in Papuasia, Paul I. Forster 139
Apocynaceae 139, 309
Araceae 56, 239
Arachnida-Acari 172
Arachnida-Araneae 172
Arales 240
Arbo, Maria Mercedes: Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil 9
Archontophoenix 230
Arctotis 682
Areca J. Dransf. 225, 232, 238-9
—— *caliso* 225, 232, 239
—— *furcata* Becc. 225
—— *klinkangensis* J. Dransf. 225, 233, 238
Arecaceae 205
Areceae 233, 237-8
Arenga distincta 229, 237
Argyrolobium 682
Aridius bifasciatus 179
Arrhenechthites 283
Arundina 401
—— *subsessilis* Rolfe 401
Asclepiadaceae: A new species of Brachystelma (Asclepiadaceae) from India, S.R. Yadav, V.N. Patil, G.B. Dixit & N.P. Singh 59
Asclepiadaceae: Two new species of Asclepiadaceae from NE Brazil, D.J. Goyder 21
Asclepiadaceae 21, 309
Aspalathus 672, 674, 682
?—— *canescens* 666
—— *crenata* (L.) Dahlgren 681
—— sp. 666
Asparagaceae: The status of Protasparagus and Myrsiphyllum in the Asparagaceae, S.T. Malcomber & Sebsebe Demissew 63
Asparagaceae 63, 64, 66, 70-72
—— *altissimus* Munby 75
Asparagopsis Kunth 63
Asparagus L. 63-4, 66, 68, 70-3, 75, 76
—— subgen. *Asparagus* 73, 75

Asparagus
Asparagus subgen. *Myrsiphyllum* 73, 75
—— *acerosus* Roxb. 68, 75
—— *acutifolius* L. 68, 75
—— *adscendens* Roxb. 68, 75
—— *aethiopicus* L. 75
—— *africanus* Lam. 75
—— *albus* L. 68, 75
—— *alopecurus* (Oberm.) Malcomber & Sebsebe †73, 75
—— *altissimus* Munby 68
—— *angolensis* Baker 68, 76
—— *angusticladus* Jessop 75
—— *aphyllus* L. 68, 70, 72, 76
—— *asparagoides* (L.) Wight 73, 75
—— *aspergillus* Jessop 76
—— *benguellensis* Baker 68, 76
—— *brachyphyllus* Turcz. 68, 71, 76
—— *buchananii* Baker 76
—— *capensis* L. 76
—— *cooperi* Baker 76
—— *crassicladus* Jessop 76
—— *curillus* Buch.-Ham. ex Roxb. 68, 76
—— *davuricus* Fisch. ex Link 68, 76
—— *declinatus* L. 75
—— *densiflorus* (Kunth) Jessop 76
—— *denudatus* (Kunth) Baker 76
—— *drepanophyllus* Welw. ex Baker 68, 76
—— *exuvialis* Birch. 76
—— *falcatus* L. 76
—— *fasciculatus* Thunb. 75
—— *filicinus* Buch.-Ham. ex D. Don 68, 72, 76
—— *filifolius* Bertol. 68, 71, 72, 76
—— *flagellaris* Baker 68, 72, 76
—— *fysonii* Macbride 68, 76
—— *gilletii* Chiov. 68, 76
—— *glaucus* Kies 76
—— *gonocladus* Baker 68, 76
—— *gracilis* Royle 68, 76
—— *greveanus* H. Perrier 69
—— *humilis* Engl. 76
—— *krausianus* (Kunth.) Jessop 73, 75
—— *krebsianus* (Kunth) Jessop 76
—— *laevissimus* Steud. ex Baker 69, 76
—— *laricinus* Burch. 77
—— *longicladus* N.E. Brown 77
—— *longipes* Baker 69, 71, 77
—— *lownei* Baker 69, 77
—— *lucidus* Lindl. 69, 77
—— *macowanii* Baker 77
—— *maritimus* (L.) Miller 69, 70, 77
—— *meiocladus* Leveille 69, 77
—— *microraphis* Baker 69, 77
—— *minutiflorus* (Kunth) Baker 77
—— *monophyllus* Baker 69, 77
—— *mucronatus* Jessop 69, 77
—— *nelsii* Schinz 77
—— *officinalis* L. 69, 71, 77
—— *oligoclonos* Maxim. 69, 77
—— *ovatus* Salter 75
—— *oxycanthus* Baker 77
—— *palaestinus* Baker 69, 77
—— *persicus* Baker 69, 77
—— *petersianus* Kunth 69, 77
—— *psilurus* Welw. ex Baker 69, 77
—— *racemosus* Willd. 77
—— *ramosissimus* Baker 77
—— *retrofractus* L. 77
—— *rigidus* Jessop 77
—— *rogersii* R.E. Fries 69, 77

Asparagus
Asparagus rubicundus Berg 77
—— *saundersiae* Baker 69, 77
—— *scandens* Thunb. 77
—— *schoberiodes* Kunth 69, 77
—— *schroederi* Engl. 78
—— *schumannianus* Schlechter ex H. Perrier 69, 78
—— *scoparius* Lowe 69, 78
—— *simulans* Baker 69, 78
—— *somalensis* Chiov. 69, 78
—— *stipulaceus* Lam. 78
—— *stipularis* Forsk. 69, 70, 72, 78
—— *striatus* Thunb. 69, 78
—— *subulatus* Thunb. 78
—— *tenuifolius* Lam. 69, 70, 78
—— *thunbergianus* Schult.f. 69, 78
—— *trichophyllus* Bunge 69, 78
—— *turkestanicus* Popov 69, 78
—— *umbellulatus* Bresler 69, 78
—— *undulatus* (L.) Thunb. 75
—— *vaginellatus* Boj. ex Baker 69, 78
—— *verticillatus* L. 69, 78
—— *virgatus* Baker 70, 78
—— *volubilis* Thunb. 75
Asphodelaceae 110
Aspilia almasensis D.J.N. Hind †273, *274
—— *fruticosa* (Gardner) Baker 273
Aspleniaceae: Pteridophyta: The genus Asplenium L. (Aspleniaceae: Pteridophyta) in the Tristan-Gough Island group, J.P. Roux 79
Asplenium L.: The genus Asplenium L. (Aspleniaceae: Pteridophyta) in the Tristan-Gough Island group, J.P. Roux 79
Asplenium L. 79, 95
—— *aequibasis* (C. Chr.) J.P. Roux †81, *82, 83, 95
—— *alvarezense* R.N.R. Brown 79, 81, *82, †83, 85, 95
—— *crassum* var. *crassum* 93
—— *erectum* 87
—— —— sensu Groves 86, 97
—— —— Bory ex Willd. 87, 89
—— —— var. *aequibasis* C. Chr. 81
—— *friesiorum* C. Chr. 94
—— *insulare* Carmich. *80, 81, 83, †85-7, 89, 95, 97
—— —— *sensu Roux* 81
—— *lunulatum* sensu Roux 86, 97
—— —— Swartz 87, 89
—— *magellanicum* Kaulf. 85
—— *marinum* Thouars. 85
—— *monanthemum* L. sensu Carmich. 89
—— *monanthes* L. *80, 81, 89, 90, 95
—— *obliquum* Forster f. sensu Carmich. 90
—— *obtusatum* Forster f. †90, *91, 92, 94
—— —— subsp. *northlandicum* P.J. Brownsey 93
—— —— subsp. *obtusatum* *80, 81, †90, 92, 93
—— —— var. *crassum* (Thouars) C. Chr. 90
—— *platybasis* Kunze ex Mett. †93-5
—— —— var. *platybasis* 94
—— —— var. *subnudum* 81, *82, †93, 94
—— *polyodon* sensu Roux 93
—— *ruta-muraria* L. 85
—— *sellowianum* Hiern 87
—— *serra* Langsd. & Fisch 94
Asterodon Pat. 38, 44-6, 50
—— *ferruginosus* 38, 44

Asterostroma
Asterostroma Massee 37, 38, 41, 42, 44-6, 48, 50
—— *andinum* Pat. 46
—— *laxum* Bres. 46
—— *medium* 38
—— *pseudofulvum* Parm. 44
Asterostromataceae (Donk) Pouzar 37, 44, 48, 50
Asterostromatoideae Donk 37
Asterostromella v. Höhn. & Litsch. 44
Astrocaryum 235
Astroloba Uitewaal 105, 111
Athamanta 781
—— *cervariifolia* Schrad. ex Spreng. 783
—— *rigida* Hornem. 783
—— *sibirica* L. 781
Atossa 739
Attalea 234
—— *attaleoides* 234
Australia: Omegandra, a new genus of Amaranthaceae from Australia, G.J. Leach, C.C. Townsend & M.M. Harley 787
Australian: Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon, A. Radcliffe-Smith 165
Autographa gamma (L.) 178
Avena fatua L. 182
—— *sativa* L. 182
Aves 170
Azolla 176

Baas, P. *Reviewer*: Anatomy of flowering plants. An introduction to structure and development. Second Edition., by Paula Rudall 632
Babiana 672
Baccharis L. 259
—— *brevifolia* DC. 263
—— *linearifolia* (Lam.) Pers. 263
—— *macroptera* D.J.N. Hind †261, *262
—— *pseudobrevifolia* D.J.N. Hind †263, *264
—— *trimera* DC. 261
Bactris 234, 238
—— *acanthocarpoides* Barb.-Rodr. 225, 234
—— *concinna* Mart. 225, 234
—— *cubensis* 234
—— *gasipaes* Kunth 225, 234
—— *longiseta* (H. Wendl.) ex Burr. 225
—— *major* N.J. Jacq. 225, 234
Baëtidae 173
Bahia: Notes on Acanthaceae from Pico das Almas, Bahia, Brazil, Dieter C. Wasshausen 17
Bahia: Notes on Compositae of Bahia, Brazil: I, D.J.N. Hind 245
Bahia: Persea glabra, a new species of Lauraceae from Bahia, Henk van der Werff 25
Bahia: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Balakrishnan, N.P. & Chakrabarty, T.: The genus Paracroton (Euphorbiaceae) in the Indian subcontinent 715
Balakrishnan, N.P. & Binojkumar, M.S.: Two new species of Euphorbia L. (Euphorbiaceae) from Burma 795
Baliospermum Bl. 718

Bamboos

Bamboos: Four new genera of bamboos (Gramineae: Bambusoideae) from Malesia, K.M. Wong 517
Bambusa Schreber 517-8, 524, 528, 530
—— *elegans* Ridley 520
—— *klossii* sensu Holttum 530
—— —— Ridl. 530
—— *magica* Ridley 520
—— *montana* (Ridl.) Holtt. 530
—— *nana* sensu Gamble 520
—— *pauciflora* Ridley 530
—— *ridleyi* 532
—— *wrayi* Stapf 524
Bambusae subtribe *Chusqueinae* 518
Bambusinae 524, 528, 530
Barcella 234
Barosma nivenii Sond. 664
Barypithes pellucidus (Boh.) *ab. duplicatus* Keys 180
Basidiome structure in Lachnocladiales sensu lato, D.N. Pegler & T.W.K. Young 37
Bats: Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea, H.C.F. Hopkins & M.J.G. Hopkins 297
Begonia 369
Berberidaceae: The small-flowered Chinese species of Epimedium (Berberidaceae), William T. Stearn 807
Beris vallata (Forst.) 181
Berry: The anatomy of a dehiscent berry, T.J. Lawrence & P.S. Green 53
Bidens: An account of Bidens (Compositae: Heliantheae) for Africa, Mesfin Tadesse 437
Bidens L. †437, 466
—— *abyssinica* Sch. Bip. 469, 498
—— —— var. *glabrata* Vatke 498
—— —— var. *incisifolia* Hochst. ex Chiov. 498
—— —— var. *quadriaristata* Hochst. ex Schweinf. & Asch. 498
—— *acuticaulis* Sherff 441, 449, †492, 494, 501
—— —— var. *acuticaulis* †493
—— —— var. *filirostris* (P. Taylor) T.G.J. Rayner 493
—— *acutiloba* Sherff 497
—— *ambacensis* (Hiern) Sherff 487
—— *ambigua* S. Moore 464
—— *amoena* Sherff 478
—— *andongensis* Hiern 443, 447, †463
—— *angustata* (Sherff) Sherff 470
—— *articulata* Sherff 469
—— *asperata* (Hutch. & Dalz.) Sherff 443, 446-7, †459
—— *aspiloides* (Bak.) Sherff †500
—— *bampsiana* Lisowski 462
—— *barteri* (Oliv. & Hiern) T.G.J. Rayner 440, 448, †483
—— *baumii* (O. Hoffm.) Sherff 444-5, 447, †460-1
—— *beguinotii* (Chiov.) Cufod. 482
—— *bequaertii* De Wild. 464
—— *bipinnata* L. 441, 449, †499
—— *biternata* (Lour.) Merr. & Sherff 441, 449, †497, 499
—— —— var. *glabrata* auct. non (Vatke) Sherff 500

Bidens

Bidens biternata f. *abyssinica* (Sch. Bip.) Sherff 498
—— —— f. *lasiocarpa* (O.E. Schultz) Sherff 499
—— *borianiana* (Sch. Bip. ex Schweinf. & Asch.) Cufod. 440, 448, †483
—— *bruceae* Sherff 455
—— —— var. *pubescentior* Sherff 455
—— —— var. *swynnertonii* Sherff 455
—— *buchneri* (Klatt) Sherff 443, 446, †454, 461
—— *burundiensis* Mesfin 442, 447, †475
—— *camporum* (Hutch.) Mesfin 442, 447, †469
—— *carinata* Cufod. ex Mesfin 441, 449, 482, †491
—— *chaetodonta* Sherff 470
—— —— var. *glabrior* (Oliv. & Hiern) Sherff 470
—— *chaetophylla* Sherff 470
—— *chandleri* Sherff 466
—— *chippii* (M.B. Moss) Mesfin 442, 448, 479, †480
—— *ciliata* B. Wild. 492
—— —— Hoffmgg. ex Fisch. et Mey. 492
—— *cinerea* Sherff 445, 447, †471
—— —— var. *tricuspidata* Sherff 472
—— *cinereoides* Sherff 472
—— *cirsioides* Sherff 470
—— *cochlearis* Merxm. 493
—— *cooperi* Sherff 470
—— *coriacea* (O. Hoffm.) Sherff 454
—— *crataegifolia* (O. Hoffm.) Sherff 452
—— —— var. *burttii* Sherff 452
—— *crocea* Welw. ex O. Hoffm. 442, 444, 447, †463
—— —— var. *ornata* Sherff 464
—— —— var. *verrucifera* S. Moore 463
—— *cuspidata* Sherff 452
—— *cylindrica* Sherff 498
—— *dielsii* Sherff 467
—— —— var. *incisior* Sherff 467
—— —— var. *intermedia* Sherff 455
—— —— var. *medusoides* Sherff 467
—— *diversa* Sherff 441, 449, †493-4, 501
—— —— var. *megaglossa* Sherff 493
—— *dolosa* Sherff 458
—— *dominici-saccardoi* Fiori 454
—— *drummondii* Wild 489, 490
—— *elgonensis* (Sherff) Agnew 444-5, 448, †479, 480
—— —— subsp. *cheranganiensis* T.G.J. Rayner 479
—— —— subsp. *morotonensis* (Sherff) T.G.J. Rayner 479
—— *ellenbeckii* (O. Hoffm.) Cufod. 485
—— *elliotii* (S. Moore) Sherff 444, 448, †477
—— *engleri* O.E. Schulz 441, 449, †500
—— *exaristata* DC. 497
—— *exilis* (Sherff) Lisowski 455
—— *filiformis* Sherff 493
—— *fischeri* (O. Hoffm.) Sherff 445, 447, 473, †475-6
—— *flabellata* O. Hoffm. 443, 447, †462
—— *flagellata* (Sherff) Mesfin 443, 447, †473
—— *frondosa* L. 458
—— *gardneri* Baker 495
—— *gardullensis* Cufod. 468
—— *ghedoensis* Mesfin 440, 448, †490
—— *glaber* O. Hoffm. 462

Bidens

Bidens gossweileri Sherff 464
—— *gracilior* (O. Hoffm.) Sherff 472
—— —— var. *ukerewensis* Sherff 472
—— *grandis* Sherff 454-5
—— *grantii* (Oliv.) Sherff 441, 448, 456, †486-7, 489
—— —— var. *dawei* Sherff 486
—— —— var. *scaettae* Sherff 486
—— —— var. *stapfii* Sherff 486
—— —— var. *stapfioides* Sherff 497
—— *hildebrandtii* O. Hoffm. 445-6, †449
—— —— var. *boranensis* Lanza 449
—— *hoffmannii* Sherff 470
—— —— var. *angustata* Sherff 470
—— *holstii* (O. Hoffm.) Sherff 446, †456, 458
—— —— var. *rupestris* Sherff 457-8
—— *imatongensis* Sherff 454
—— *incumbens* Sherff 449
—— —— var. *muthicola* Sherff 449
—— *insecta* (S. Moore) Sherff 474
—— *insignis* Sherff 452
—— *isostigmatoides* Sherff 444, 448, †480
—— *jacksonii* (S. Moore) Sherff 501
—— *kamerunensis* Sherff †501
—— *kasaiensis* Lisowski 464
—— *kefensis* T.W.G. Rayner 470
—— *kigeziensis* Sherff 478
—— —— var. *subsessilis* Sherff 480
—— *kilimandscharica* (O. Hoffm.) Sherff 443, 446, †451, 453
—— —— var. *oxymera* Sherff 452
—— —— var. *retrorsa* Sherff 452
—— *kirkii* (Oliv. & Hiern) Sherff 445, 447, †474
—— —— var. *ciliato-vaginata* Cufod. 473
—— —— var. *flagellata* Sherff 473
—— *kivuensis* Sherff 486-7
—— —— var. *armata* Sherff 486
—— *kotschyi* Sch. Bip. 498
—— *laciniata* Sch. Bip. ex Schweinf. & Asch. 498
—— *lasiocarpa* O.E. Schultz 498
—— *leiocera* Sherff 497
—— *leptoglossa* (Sherff) Lisowski 452
—— *leptolepis* Sherff 495
—— *leucantha* var. *sundaica* (Bl.) Hasskarl 500
—— *lindblomii* Sherff 449
—— *linearifolia* (Oliv. & Hiern) Sherff 466
—— —— Sch. Bip. 466
—— *lineariloba* Oliv. 440, 447, †476
—— —— var. *deminuta* Sherff 476
—— *lineata* Sherff 471
—— —— var. *tenuipes* Sherff 471
—— *lynesii* Sherff 458
—— *macrantha* (Sch. Bip.) Cufod. 485
—— *macroptera* (Sch. Bip. ex Chiov.) Mesfin 442, 448, 466, 484, †485
—— *magnifolia* Sherff 446, †458
—— —— var. *versuta* Sherff 458
—— *malawiensis* Mesfin 441, 449, †492
—— *mannii* T.G.J. Rayner 443, 447, †459
—— *meruensis* Sherff 452
—— *mesfinii* A. Anderberg 442, 447, †473
—— *microcarpa* Sherff 497
—— *microphylla* Sherff 443, 448, †482
—— *mildbraedii* Sherff 466
—— *minuta* De Mire & Gillet 501
—— *modesta* Sherff 461
—— *monticola* Poepp. & Endl. 459
—— *moorei* Sherff 443, 447, †461

Bidens

Bidens moorei var. *verrucosa* Sherff 462
—— *morotonensis* Sherff 479
—— *mossiae* Sherff 480
—— *musoziana* Sherff †501
—— *napieri* Sherff 457
—— *natator* Friis & Vollesen 481
—— *navicularia* Sherff 481
—— *negriana* (Sherff) Cufod. 440, 448, †481
—— *neumannii* Sherff 467
—— *nobilis* Sherff 457-8
—— *nobiloides* Sherff 442, 444, 448, †480
—— *nyikensis* Sherff 455
—— *oblonga* (Sherff) Wild 444, 446, †455-6
—— *occidentalis* (Hutch. & Dalz.) Mesfin 440, 448, †483
—— *ochracea* (O. Hoffm.) Sherff 444, 447, †465-6
—— —— var. *typica* 466
—— *odora* (Sherff) T.G.J. Rayner 442, 448, †477
—— —— Willd. & Schlecht. 477
—— *oligoflora* (Klatt) Wild 437, 441, 448, †489, 490, 501
—— *oniciformis* Sherff 489
—— *pachyloma* (Oliv. & Hiern) Cufod. 440, 448, †482
—— —— var. *inanis* (Sherff) Cufod. 482
—— *palustris* Sherff 464
—— —— var. *cubangoana* Sherff 464
—— —— var. *nematomera* Sherff 470
—— *paupercula* Sherff 492, 501
—— —— var. *filirostris* P. Taylor 493
—— *phalangiphylla* Sherff 464
—— *phelloptera* Sherff 458
—— *pilosa* L. 441, 449, †500
—— —— var. *abyssinica* (Sch. Bip.) Fiori 498
—— —— var. *glabrata* (Vatke) Engl. 498
—— —— var. *minor* (Bl.) Sherff 500
—— —— var. *quadriseta* (Hochst. ex Oliv. & Hiern) Engl. 498
—— *pinnatipartita* (O. Hoffm.) Wild 445-6, 449, 451, 456, 490
—— *praecox* Sherff 472
—— *prestinaria* (Sch. Bip.) Cufod. 440, 448, †485
—— *prestinariiformis* (Vatke) Cufod. 486
—— —— var. *incisa* (Sherff) Cufod. 486
—— *prolixa* S. Moore 497
—— *pulchella* (Less.) Sch. Bip. 482
—— *punctata* Sherff 497
—— *quadriseta* Hochst. ex Oliv. & Hiern 498
—— *rhodesiana* Sherff 455-6
—— *richardsiae* Sherff 455
—— *robustior* S. Moore 452
—— *rogersii* Sherff 466
—— *rotata* Sherff 468
—— *ruandensis* Sherff 460
—— *rubicunda* Sherff 439, 449
—— *rubicundula* Sherff †495
—— *rubra* De Wild. 495
—— —— Sch. Bip. nom. nud. 495
—— *rueppellii* (Sch. Bip.) Sherff 442, 447, †468-9
—— *rueppellioides* Sherff 469, 475
—— *rufovenosa* Sherff 474-5
—— *rupestris* Sherff 457
—— *ruwenzoriensis* (S. Moore) Sherff 454
—— *schimperi* Sch. Bip. ex Walp. 441, 449, 476, 489-91, †497
—— —— var. *brachyceroides* Sherff 473

Bidens
Bidens schimperi var. *brachycera* Sherff 497
—— —— var. *greenwayi* Sherff 497
—— —— var. *leptocera* Sherff 497
—— —— var. *pilosa* Sch. Bip. ex Schweinfurth & Ascherson 497
—— —— var. *punctata* Sherff 497
—— *schlechteri* Sherff 474
—— —— var. *wildii* Sherff 474-5
—— *schultzii* Cufod. 485
—— *schweinfurthii* Sherff 466
—— *scopulorum* (Sherff) T.G.J. Rayner 480
—— *seretii* (De Wild.) Sherff 454
—— *setigera* (Sch. Bip.) Sherff 440, 448, †490
—— —— auct. non (Sch. Bip.) Sherff 492
—— —— subsp. *bipinnato-partita* (Chiov.) Mesfin †491
—— —— subsp. *setigera* †491
—— —— var. *abyssinica* (Sch. Bip.) Sherff 491
—— —— var. —— auct. non (Sch. Bip.) Sherff 475
—— —— var. *lobata* Sherff 469
—— *setigeroides* Sherff 481
—— —— var. *munita* Sherff 481
—— *sierra-leonensis* Mesfin *438, 442, 448, †484
—— *simplicifolia* C.H. Wright 467
—— *snowdenii* Sherff 486
—— *somaliensis* Sherff 443, 446, 451, †453, 501
—— —— var. *bukobensis* Sherff 460-1
—— *spathulata* Sherff 502
—— *speciosa* Gardner 454
—— *steppia* (Steetz) Sherff 437, 441, 448, †487, 489, 490
—— —— var. *ambacensis* (Hiern) Sherff 488
—— —— var. *elskensii* Sherff 488
—— —— var. *garusonis* Sherff 488
—— —— var. *humbertii* Sherff 486
—— —— var. *inarmata* Sherff 488
—— —— var. *kalamboensis* Sherff 488
—— —— var. *leptocarpa* Sherff 487
—— *straminoides* Sherff 486, †501
—— *stuhlmannii* (O. Hoffm.) Sherff 454
—— *sundaica* Blume 500
—— —— var. *minor* Blume 500
—— *superba* Sherff 467
—— —— var. *angustifolia* Sherff 468
—— —— var. *brachycarpa* Sherff 467
—— *taitensis* Sherff 457-8
—— —— var. *aciculata* Sherff 457
—— *taylori* (S. Moore) Sherff 444, 447, †472-3, 476, 501
—— *ternata* (Chiov.) Sherff 442, 447, 461, †467-8
—— —— var. *angustifolia* (Sherff) Mesfin †468
—— —— var. *ternata* †468
—— —— var. *vatkei* (Sherff) Mesfin †468
—— *tripartita* L. 439, 441, 480, †496
—— *ugandensis* (S. Moore) Sherff 443, 445, 447, †466
—— —— var. *longisquama* Sherff 466
—— —— var. *rogersii* (Sherff) Lisowski 466
—— —— var. *schweinfurthii* (Sherff) Lisowski 466
—— —— var. *ugandensis* Lisowski 466
—— *uhligii* Sherff 488
—— *ukambensis* S. Moore 452
—— *urceolata* De Wild. 440, 449, †495
—— *vatkei* Sherff 468

Bidens
Bidens volkensii O. Hoffm. 452
—— *whytei* Sherff 444, 447, †470-1
—— *zairensis* Lisowski 440, 449, †494
—— *zavattarii* Cufod. 442, 447, †475
—— —— var. *latisecta* Cufod. 475
Biju, S.D., Sivarajan, V.V. & Mathew, Philip: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae) 391
Binojkumar, M.S. & Balakrishnan, N.P.: Two new species of Euphorbia L. (Euphorbiaceae) from Burma 795
Bischofia 611
Bishopiella R.M. King & H. Rob. 245
—— *elegans* R.M. King & H. Rob. 248
Blachia Baill. 718
Blaeria: Studies in the Ericoideae (Ericaceae). XI. The generic relationship between Erica and Blaeria, E.G.H. Oliver 771
Blaeria L. 771-9
—— subgen. *Eublaeria* 777
—— *barbigera* (Salisb.) G. Don 778
—— *campanulata* Benth. 773
—— *coccinea* Klotzsch 778
—— *dumosa* Wendl. †773
—— *equisetifolia* (Salisb.) G. Don †773, 777-8
—— *ericoides* L. 771, 778
—— *flexuosa* Benth. 777
—— *fuscescens* Klotzsch 778
—— *kingaensis* Engl. 778
—— *klotzschii* Alm & Fries 778
—— *kraussiana* Klotzsch ex Walpers 778
—— *purpurea* L.f. 777
—— *sagittata* (Klotzsch) Alm. & Fries 778
—— sp. 778
Blaeriastrum 777
Blepharodon 21, 23
—— *hirsutum* D.J. Goyder †23
—— *nitidum* (Vell.) Macbr. 23
Bombyliidae 181
Bombylius major (L.) 181
Bonnetiaceae 246

Book Reviews & Notices:-
Aroids of Papua New Guinea, by A. Hay 193
Australian Plant Name Index, by A.D. Chapman 621
B-P-H/S:Botanico-Periodicum-Huntianum Supplementum, by Gavin D.R. Bridson (Compiler & Editor) & Elizabeth R. Smith 423
Bibliografia Botánica Taxonómica de Chile, by C. Marticorena 195
The concise Oxford dictionary of botany, by Michael Allaby (Ed.) 619
The Connaraceae, a taxonomic study with emphasis on Africa, by F.J. Breteler (Ed.) & Various contributors 196
The ecology of a garden. The first fifteen years, by Jennifer Owen 630
Edible fruits and nuts. PROSEA (Plant Resources of South-East Asia), by E.W.M. Verheij & R.E. Coronel (Eds.) 195
Edible wild plants of sub-Saharan Africa, by C.R. Peters, E.M. O'Brien & R.B. Drummond 820

Book Reviews

Erdtman's Handbook of Palynology. 2nd edition, by Siwert Nilsson & Joseph Praglowski (Eds.) 628
An Excursion Flora of Central Tamilnadu, India, by K.M. Matthew 627
Flora of Australia, Volume 35. Brunoniaceae and Goodeniaceae, by A.S. George (Exec. Ed.) 623
Flora of Ethiopia. Vol. 3. Pittosporaceae to Araliaceae, by Inga Hedberg & Sue Edwards (Eds.) 624
Flora Vitiensis Nova, a new Flora of Fiji. Volume 5, by Albert C. Smith 431
Flowers of Annonaceae: Morphology, classification, and evolution. Blumea Supplement 7, by E.G.H. van Heusden 817
Forages. PROSEA (Plant Resources of South-East Asia). No.4, by L. t'Mannetje & R.M. Jones (Eds.) 633
Genetics and Conservation of Rare Plants, by Donald A. Falk & Kent E. Holsinger 425
The Hepaticae and Anthocerotae of North America East of the Hundredth Meridian. 5 Jubulaceae to Sphaerocarpales. 6 Marchantiales and Anthocerotae, by Rudolf M. Schuster 632
Index Kewensis Supplement XIX (1986-1990), by R.A. Davies & K.M. Lloyd 199
A Key to Egyptian Grasses, by Thomas A. Cope & Hasnaa A.Hosni 193
Kuwaiti Plants. Studies in Plant Science 2, by Brian S. Middleditch & Amer M. Amer 627
Latín y Griego básicos para botánicos, by Bruno Manara 634
Orchids of Malawi. The epiphytic and terrestrial orchids from South and East Central Africa, by I.F. la Croix, E.A.S. la Croix & T.M. la Croix 427
Orchids of Malaya, by L.B. Segerbäck 429
Palms for human needs in Asia. Palm utilization and conservation in India, Indonesia, Malaysia and the Philippines, by D. Johnson 625
Phytogeography and vegetation ecology of Cuba, by A. Borhidi 620
Tropical Planting & Gardening. Sixth edition., by H.F. Macmillan, Revised by H.S. Barlow, I. Enoch & R.A. Russell 818
Wild Orchids of Dorset, by Martin N. Jenkinson 426

Borassodendron 209
—— *borneense* 209
—— *machadonis* 209
Borassus 209
Borhidi, A.: Phytogeography and vegetation ecology of Cuba (Rev.) 620
Botta, Silvia & Brandham, P.E.: The taxonomic significance of chromosome number in Junellia (Verbenaceae) 143
Boyce, Peter *Reviewer*: Aroids of Papua New Guinea, by A. Hay 193
Boyce, Peter *Reviewer*: Tropical Planting & Gardening. Sixth edition., Revised by H.F. Macmillan, H.S. Barlow, I. Enoch & R.A. Russell 818
Brachypterus glaber (Steph.) 178

Brachystelma

Brachystelma: A new species of Brachystelma (Asclepiadaceae) from India, S.R. Yadav, V.N. Patil, G.B. Dixit & N.P. Singh 59
Brachystelma edulis Coll. & Hemsl. 59
—— *malwanense* Yadav & N.P. Singh †59, *60
Brandham, P.E. & Botta, Silvia: The taxonomic significance of chromosome number in Junellia (Verbenaceae) 143
Brassiophoenix 231
—— *drymophloeoides* Burret 225
Brazil: Five new taxa of Xyris (Xyridaceae) from Brazil, R. Kral & M.G.L. Wanderley 577
Brazil: New species and a new combination in Cyperaceae from Brazil. Notes on Brazilian Cyperaceae: VI, D.A. Simpson 699
Brazil: A new species of Doryopteris (Section Doryopteris-Pteridaceae) from Brazil, J. Prado 13
Brazil: Notes on Acanthaceae from Pico das Almas, Bahia, Brazil, Dieter C. Wasshausen 17
Brazil: Notes on Compositae of Bahia, Brazil: I, D.J.N. Hind 245
Brazil: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Brazil: Two new species of Asclepiadaceae from NE Brazil, D.J. Goyder 21
Brazil: Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil, Maria Mercedes Arbo 9
Brazilian: A checklist of the Brazilian Senecioneae (Compositae), D.J.N. Hind 279
Brazilian: New species in Brazilian Melastomataceae, Angela Borges Martins 385
Brazilian: Notes on Brazilian Orchidaceae II, A.L. Toscano de Brito & Carlyle A. Luer 326
Breteler, F.J.(Ed.) & Various contributors.: The Connaraceae, a taxonomic study with emphasis on Africa. (Rev.) 196
Brickell, C.D., Lobin, W. & Davis, A.P.: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from N E Turkey 161
Bridson, Gavin D.R.(Compiler & Editor) & Smith, Elizabeth R.(Editorial Assistant): B-P-H/S:Botanico-Periodicum-Huntianum Supplementum (Rev.) 423
Bromeliaceae 246
Bromus diandrus Roth 182
—— *lanceolatus* Roth 182
—— *madritensis* L. 182
Bruckenthalia Salisb. 777
Brummitt, R.K. *Reviewer*: Australian Plant Name Index, by A.D. Chapman 621
Brummitt, R.K. *Reviewer*: B-P-H/S:Botanico-Periodicum-Huntianum Supplementum, by Gavin D.R. Bridson (Compiler & Editor) & Elizabeth R. Smith (Editorial Assistant) 423
Brummitt, R.K. *Reviewer*: Orchids of Malawi. The epiphytic and terrestrial orchids from South and East Central Africa, by I.F. la Croix, E.A.S. la Croix, & T.M. la Croix 427
Brummitt, R.K. & Perry, G.: Observations on the provisions for conserving and rejecting names 413

Brunia

Brunia 672
Bryocoris pteridis (Fallén) 176
Bryophila perla 178
Bubon buchtormense Hort. Gorenk. ex Hornem. 783
—— *buchtormensis* Fisch. ex Spreng. 783
Buddleja 672
—— *davidii* Franchet 181
Bulbine Wolf 110
—— *alooides* (L.) Willd. 110
—— *frutescens* (L.) Willd. 110
Bulbostylis cruciformis K. Lye 348
Burma: Crotalaria venusta (Leguminosae: Papilionoideae), a new species from Burma, A.A. Ansari 755
Burma: Two new species of Euphorbia L. (Euphorbiaceae) from Burma, M.S. Binojkumar & N.P. Balakrishnan 795

Cacalia L. 281
—— *dichroa* Bong. 279, 281, 285
—— *prenanthoides* Kunth 281, 284
—— *sonchifolia* L. 281-2
Cactaceae 56, 246
Caladenia: Systematic leaf anatomy of Caladenia (Orchidaceae), Alec M. Pridgeon 533
Caladenia R. Br. 533-5, 540
—— sect. *Calonema* 540
—— sect. *Eucaladenia* 533, 540
—— sect. *Pentisia* 540
—— sect. *Phlebochilus* 533
—— *alpina* R. Rogers 536-7, 543
—— *amplexans* A.S. George 536-7, 540, 543
—— *attengens* Hopper & A.P. Brown subsp. *gracillima* Hopper & A.P. Brown 536-7, 543
—— *barbarossa* Reichb.f. 536-7, 540, 543
—— *caerulea* 533
—— *cairnsiana* F. Muell. 533, 536-7, 543
—— *carnea* R. Br. 536-7, 540, 543
—— *chapmaniana* Hopper & A.P. Brown 536-7, 543
—— *cucullata* Fitzg. 536-7, 543
—— *deformis* R. Br. 533, 535-7, 540, 543
—— *discoidea* 533
—— *eminens* (Domin) M. Clements & D. Jones 536-7, 540, 543
—— *falcata* (Nicholls) M. Clements & Hopper 536-7, 540, 543
—— *filifera* Lindley 536-7, 540, 543
—— *flava* R. Br. 535-7, 543
—— *gemmata* Lindley 533, 535-7, 540, 543
—— *gracilis* R. Br. 536-7, 543
—— *ixioides* 534
—— *latifolia* R. Br. 536-7, 543
—— *longiclavata* 543
—— *macrostylis* Fitzg. 536-7, 540, 543
—— *menziesii* R. Br. 533, 535-7, 540, 543
—— *microchila* Hopper & A.P. Brown 535-7, 543
—— *multiclavia* Reichb.f. 533, 535-7, 543
—— *nana* Endl. 535-7, 543
—— *patersonii* R. Br. 534
—— *polychroma* Hopper & A.P. Brown 535-7, 543
—— *radiata* Nicholls 536-7, 540, 543
—— *roei* Bentham 536-7, 540, 543
—— *saccharata* 533
—— *sericea* Lindley 533, 535-7, 540, 543

Caladenia

Caladenia unita Fitzg. 536-7, 543
Calameae subtribe *Ancistrophyllinae* 224
Calamoideae tribe *Eugeisoninae* 224
Calamus 226, 236
—— *exilis* Griff. 224
—— *microsphaerion* Becc. 224
Calathus fuscipes (Goeze) 178
Calendula arvensis L. 182
Caletia Baill. 165
Callista glossotis (Rchb.f.) Kuntze 557
—— *purpurea* (Roxb.) Kuntze 552
—— *reinwardtii* (Lindl.) Kuntze 552
Calolirion 157
Calonema 533
Calopterygidae 174
Calopteryx splendens (Harris) 174
Calospatha 226
Calvia quattuordecimguttata (L.) 179
Calydorea mexicana 159
Cambessedesia 385
—— *atropurpurea* A.B. Martins 385
—— *rupestris* A.B. Martins †385, *386
Campanulaceae 56
Camptorrhiza: A new species of Camptorrhiza (Colchicaceae) from India, S.R. Yadav & N.P. Singh 735
Camptorrhiza indica Yadav, N.P. Singh & B. Mathew †735, *736-7
—— *strumosa* (Baker) Obermeyer 735, 737
Canidae 170
Canthium Lam. 760-1
—— *dicoccos* (Gaertn.) Teijsm. & Binnend. 761
—— *dicoccum* var. *umbellatum* (Wight) Santapau & Merch. 762
—— *didymum* Gaertn. 761
—— —— var. *grandifolia* Thwaites 761
—— —— var. *kingii* Hook.f. 761
—— —— var. *lanceolata* Thwaites ex Hook.f. 761
—— —— var. *rostratus* Thwaites 761
—— *ficiforme* Hook.f. 762
—— *macrocarpum* Wt. ms. 762
—— *pergracile* Bourd. 761
—— *umbellatum* Wight 762
Cape of Good Hope: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K), E. Charles Nelson & John P. Rourke 663
Carabidae 178
Cardaria draba (L.) Desv. 182
Cardiostigma mexicanum 159
Carissa carandas L. 61
Carnivora 170
Carpentaria 231
—— *acuminata* (H. Wendl. & Drude) Becc. 225
Carpinus betulus L. 181
Carpoxylon 232
Cartodere filum 179
Caryophyllaceae: A reconsideration of Gypsophila series Deserticolae Barkoudah (Caryophyllaceae) including G. capillaris (Forssk.) C. Chr., Sue Zmarzty 683
Caryophyllaceae 182, 344
Cassia emend. Gaertner 760
—— L. sens. lat. 760

Cassia
Cassia aldabrensis Hemsl. 296
—— *kleinii* Wight & Arn. 760
Cataclysta lemnata (L.) 177
Catoblastus 229, 237
Celastrus 672
Cephalomanes: Two new combinations in Crepidomanes and one in Cephalomanes (Hymenophyllaceae), P.S. Green 618
Cephalomanes bauerianum (Endl.) P.S. Green †618
Cerambycidae 180
Cerastium semidecandrum L. 182
Ceratolobus 226
Ceroxylon 228
Ceutorrhynchus pollinarius Forst. 180
Ceylon: A new species of Palaquium Blanco (Sapotaceae) from Ceylon, B. Verdcourt 342
Chaetothylax 122
Chakrabarty, T. & Balakrishnan, N.P.: The genus Paracroton (Euphorbiaceae) in the Indian subcontinent 715
Chalcoides aurata Marsham 180
Chamaealoe 111
Chamaecrista: A new combination in Chamaecrista (Leguminosae-Caesalpinioideae), J.M. Lock & H.E. Ireland 296
Chamaecrista Moench 760
—— *aldabrensis* (Hemsl.) Lock & H.E. Ireland †296
—— *exilis* (Vatke) Lock 296
—— *kleinii* (Wight & Arn.) K.M. Matthew †760
—— *mimosoides* (L.) Greene 296
Chamaedorea 228, 237
—— *arenbergiana* H. Wendl. 225
—— *exhorrhiza* H. Wendl. 225
—— *fragrans* 228
—— *integrifolia* 228
—— *sartorii* Lieb. ex Mart. 225
Chamaerops 207, 229, 235, 237
Chamaesyce 125, 795
—— *arabica* (Hochst. & Steud ex Anderson) Soják 125
—— *sparrmanii* sensu Harden 314
Chambeyronia 230
Chantaranothai, P. & Parnell, J.: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand 589
Chapman, A.D.: Australian Plant Name Index (Rev.) 621
Charles Nelson, E. & Rourke, John P.: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K) 663
A checklist of the Brazilian Senecioneae (Compositae), D.J.N. Hind 279
Cheek, Martin, Smitinand, Tem & Tompsett, Paul B.: A new synonym and a range extension for Dipterocarpus alatus 397
Chelyocarpus 208
Chinese: Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae), Jon P. West & Jill Cowley 799
Chinese: The small-flowered Chinese species of Epimedium (Berberidaceae), William T. Stearn 807
Chionolepis
Chionolepis DC. 254
Chorthippus brunneus (Thunb.) 173
—— *parallelus* (Zett.) 173
Chortolirion: The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy, G.F. Smith & A.E. van Wyk 105
Chortolirion Berger 105-7, 110-1
—— *angolense* *106
Chromosome: The taxonomic significance of chromosome number in Junellia (Verbenaceae), Silvia Botta & P.E. Brandham 143
Chrysalidocarpus 230
Chrysanthellum abyssinicum Sch. Bip. 491
Chrysanthemum coronarium L. 182
—— *segetum* L. 182
Chrysolaena H. Rob. 250
Chrysomelidae 180
Chrysophila 208
Chusquea 518
Cicadellidae 176
Cidnorhinus quadrimaculatus (L.) 180
Cimicidae 175
Cineraria L. 281
—— *brasiliensis* Spreng. 281, 287
—— *crassiflora* Poiret 281, 288
—— *megapotamica* Spreng. 281, 291, 293
—— *montevidensis* Spreng. 281, 292
—— *prenanthoides* Kunth 281
—— *selloi* Spreng. 281, 294
—— *sonchifolia* L. 281
—— *vestita* Spreng. 281, 288
Cionus scrophulariae (L.) 180
Cirsium palustre 181
Clavaria argillacea Fr. 184
Clavariaceae 184
Clavariachaete Corner 44
Cleistocalyx: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand, P. Chantaranothai & J. Parnell 589
Cleistocalyx 589, †590
—— *khaoyaiensis* P. Chantaranothai & J. Parn. †590-1
—— *nigrans* 591
—— *operculatus* (Roxb.) Merr. & L.M. Perry 590, †591
—— —— var. *operculatus* 591
—— —— var. *paniala* (Roxb.) P. Chantaranothai & J. Parnell 590, †591
—— *phengklaii* P. Chantaranothai & J. Parn. †591
Cliffortia cuneata Aiton 682
—— *linearifolia* Ecklon & Zeyher 682
—— *propinqua* Ecklon & Zeyher 682
Clinostigma 232
Clitocybe geotropa (Bull. ex St. Amans) Quél. 183
Clitoria alba G. Don 805
Cloëon dipterum (L.) 173
Clusiaceae 410, 664
Clytus arietis 180
Coccinella undecimpunctata L. 179
Coccinellidae 179
Coccosperma Klotzsch 772
Codiaeum A. Juss. 718
Coenagrion 174
—— *puella* (L.) 173
—— *pulchellum* 173
Coenagrionidae 173

Colchicaceae

Colchicaceae: A new species of Camptorrhiza (Colchicaceae) from India, S.R. Yadav & N.P. Singh 735
Coleoptera 178
Coleus fruticosus Benth. 764
Collomia linearis Nutt. 183
Colotois pennaria (L.) 178
Colpothrinax 207-8
Colubridae 170
Compositae: Heliantheae: An account of Bidens (Compositae: Heliantheae) for Africa, Mesfin Tadesse 437
Compositae: A checklist of the Brazilian Senecioneae (Compositae), D.J.N. Hind 279
Compositae: A new combination in Trichogonia (Compositae), D.J.N. Hind 411
Compositae: Notes on Compositae of Bahia, Brazil: I, D.J.N. Hind 245
Compositae 182, 245-6, 271, 279, 282, 286, 311, 763
—— tribe *Asterae* †259
—— tribe *Eupatorieae* 248, †265
—— tribe *Gnaphalieae* Rydb. 254
—— tribe *Heliantheae* Cass. 273
—— tribe *Inuleae* Cass. †254
—— tribe *Lactuceae* Cass. 253
—— tribe *Plucheae* Anderb. 254
—— tribe *Senecioneae* Cass. †257, 279, 280, 285-6, 295
—— tribe *Vernonieae* Cass. 247
—— subgen. *Stenotheca* (Monn.) Torr. & Gray 253
A confusion in Lippia (Verbenaceae) in tropical Africa, Sebsebe Demissew 375
Conium maculatum L. 181
Conserving names: Observations on the provisions for conserving and rejecting names, G. Perry & R.K. Brummitt 413
Consolida ambigua (L.) P.W. Ball & Heywood 181
Convolvulaceae: A new Convolvulus (Convolvulaceae) from Somalia, Sebsebe Demissew 381
Convolvulaceae 381
Convolvulus 381
—— *ruspolii* Hallier f. 381, 383
—— *verdcourtianus* Sebsebe †381, *382
Convolvulus: A new Convolvulus (Convolvulaceae) from Somalia, Sebsebe Demissew 381
Cope, T.A. *Reviewer*: Kuwaiti Plants. Studies in Plant Science 2, by Brian S. Middleditch & Amer M. Amer 627
Cope, T.A.: Taeniorhachis: a new genus of Gramineae from Somalia 403
Cope, Thomas A. & Hosni, Hasnaa A.: Key to Egyptian Grasses (Rev.) 193
Coprosma J.R. & G. Forst. †320
—— *huttoniana* 320
—— *inopinata* I. Hutton & P.S. Green †320, *321
—— *lanceolaris* 320
Coreopsis 177, 437
—— *abyssinica* Sch. Bip. 469, 470
—— —— f. *latisecta* Vatke 469
—— —— var. *bipinnato-partita* Chiov. 490-1
—— —— var. *glabrior* Oliv. & Hiern 470
—— *ambacensis* Hiern 487-8
—— *asperata* Hutch. & Dalziel 459
—— *aspiloides* Bak. 500

Coreopsis

Coreopsis badia Sherff 483
—— *barteri* Oliv. & Hiern 483
—— *baumii* O. Hoffm. 460
—— *beguinotii* Chiovenda 482
—— *bella* Hutch. 469
—— *biternata* Loureiro 498
—— *borianiana* Sch. Bip. ex Schweinf. & Asch. 483
—— —— var. *cannabina* Sch. Bip. ex Schweinf. & Asch. 483
—— —— var. *multiplex* Sherff 483
—— *bracteosa* Sherff 467
—— *buchingeri* Sch. Bip. ex Schweinf. & Asch. 468
—— *buchneri* Klatt 454
—— *callosa* Sch. Bip. ex Schweinf. & Asch. 482
—— *camporum* Hutch. 469
—— *chevalieri* O. Hoffm. & Muschl. 483
—— *chippii* M.B. Moss 479, 480
—— *chrysantha* Vatke 468
—— —— var. *simplicifolia* Vatke 467
—— *chrysopterocarpa* Chiov. 483
—— *coriacea* O. Hoffm. 454-5
—— *cosmophylla* Sherff 465
—— *crataegifolia* O. Hoffm. 452
—— *curtisii* Sherff †501
—— *elgonensis* Sherff 479
? —— *ellenbeckii* O. Hoffm. 485
—— *elliotii* S. Moore 478
—— *exaristata* O. Hoffm. 497
—— —— var. *gracilior* O. Hoffm. 472
—— *exilis* Sherff 455-6
—— *feruloides* Sherff 469
—— *fischeri* O. Hoffm. 475
—— *frondosa* O. Hoffm. 458
—— *georgii* Sherff 486
—— *glaucescens* Oliv. & Hiern 469
—— *goffardii* Sherff 455-6
—— *grantii* Oliv. 486
—— *guineensis* Oliv. & Hiern 483
—— *heterocarpa* Chiov. 486
—— *holstii* O. Hoffm. 457
—— *injucunda* Sherff 488
—— *insecta* S. Moore 474
—— *involucrata* Sch. Bip. 482
—— *isokoensis* Sherff 489
—— *jacksonii* S. Moore 502
—— —— var. *arthrochaeta* Sherff 502
—— *kilimandscharica* O. Hoffm. 452
—— *kirkii* Oliv. & Hiern 474
—— *leptoglossa* Sherff 452
—— *linearifolia* Oliv. & Hiern 466
—— *lineata* Klatt 454
—— *lupulina* 451
—— *macrantha* Sch. Bip. 485
—— *macroptera* Sch. Bip. ex Chiov. 485
—— —— ex Schweinf. & Asch. 485
—— *mattfeldii* Sherff 489
—— *microglossa* Sherff 481
—— *mildbraedii* Muschler 478
—— *monticola* (Hook.f.) Oliv. & Hiern 459
—— —— var. *pilosa* Hutch. & Dalziel 459
—— *morotonensis* Sherff 479, 480
—— *multiflora* Sherff 488
—— *negriana* Sherff 481
—— *neumannii* Sherff 467-8
—— *oblonga* Sherff 455
—— *occidentalis* (Hutch. & Dalziel) Adams 483

Coreopsis

Coreopsis ochracea O. Hoffm. 465
—— var. *lugardii* Sherff 466
—— *ochraceoides* Sherff 465-6
—— *odora* Sherff 477
—— *oligoflora* Klatt 437, 489, 501
—— —— var. *robusta* Sherff 489
—— *pachyloma* Oliv. & Hiern 482
—— —— var. *inanis* Sherff 482
—— *pinnatipartita* O. Hoffm. 450
—— *prestinaria* auct. non Sch. Bip. 485
—— Sch. Bip. 485
—— —— f. *typica 1* 485
—— —— f. *typica 2* 486
—— *prestinariiformis* Vatke 486
—— —— var. *incisa* Sherff 486
—— *pristinariaeformis'* 486
—— *pulchella* O. Hoffm. 482
—— *quarrei* Sherff 486
—— *rueppellii* Sch. Bip. 469
—— —— f. *angustisecta* Chiov. 469
—— —— var. *incisa* Sherff 469
—— —— var. *simplicifolia* (Vatke) Chiovenda 467
—— *ruwenzoriensis* S. Moore 454
—— *scabrifolia* Sherff 460
—— *schimperi* O. Hoffmann 491
—— *scopulorum* Sherff 479, 480
—— *seretii* De Wild. 454
—— *setigera* Sch. Bip. 491
—— *simplicifolia* (Vatke) Engl. 467
—— *speciosa* Hiern 454
—— *steppia* Steetz 487
—— *stuhlmannii* O. Hoffm. 454
—— *taylori* S. Moore 472
—— *ternata* Chiov. 467
—— *togensis* Sherff 483
—— *tripartita* M.B. Moss 480
—— *ugandensis* S. Moore 466
—— *vulgaris* Sherff 488
—— *whytei* S. Moore 451
—— var. *cannabina* Sch. Bip. ex Schweinf. & Asch. 483
—— sp. 182
Coreopsis schlechteri (Sherff) Burtt Davy 474
Corixidae 176
Cortinariaceae 184
Corypheae 236
—— subtribe *Thrinacinae* 224
—— subtribe *Coryphinae* 224
Cotoneaster bacillaris Lindl. 181
Cotula terminata L. 682
Cowley, Jill & West, Jon P.: Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae) 799
Crassocephalum Moench 281
—— *valerianifolium* (Wolf) Less. 281, 285
Crepidomanes: Two new combinations in Crepidomanes and one in Cephalomanes (Hymenophyllaceae), P.S. Green 618
Crepidomanes endlicherianum (C. Presl) P.S. Green †618
—— *saxifragoides* (C. Presl) P.S. Green †618
Crepis setosa Hallier f. 182
Cribb, P.J. & Dauncey, E.A.: Dendrobium (sect. Pedilonum) purpureum Roxb. (Orchidaceae) and its allies 545
Cribb, P.J. & la Croix, I.F.: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area 357

Crotalaria

Crotalaria venusta (Leguminosae: Papilionoideae), a new species from Burma, A.A. Ansari 755
Crotalaria L. 682, 755, 757
—— sect. *Eriocarpae* 758
Crotalaria bourneae Fyson 758
—— *calycina* Schrank 759
—— *candicans* Wight & Arn. †759
—— *conferta* Fyson 758
—— *fysonii* Dunn †759
—— —— var. *glabra* Gamble 759
—— *khasiana* Balak. ex Thoth. & Ansari 755
—— *kodaiensis* Debb. & Biswas 759
—— *longipes* Wight & Arn. †759
—— *madurensis* Wight & Arn. 759
—— *ovalifolia* Fyson 758
—— *perfoliata* 759
—— *rubiginosa* auct. non Willd. 758
—— Willd. 758
—— *sagittalis* L. 758
—— *scabrella* Wight & Arn. †758
—— *sessiliflora* L. 755-6
—— *shevaroyensis* Gamble 759
—— *subperfoliata* Wight & Arn. 759
—— *venusta* Wall. †755-6
—— *wightiana* Graham ex Wight & Arn. †758
—— —— Wight & Arn. 758
—— complex 758
Croton aromaticus L. 723
—— *laccifer* L. 723
—— *pendulus* 715
Crustacea-Cladocera 171
Cryphia domestica (Hufnagel) 178
Cryptocoryne spiralis Fisch. ex Wydler 737
Crysophila 207
Ctenitis aquilina (Thouars) Pichi-Serm. 85
Curculionidae 180
Cylindroiulus truncorum (Silvestri) 171
Cynanchum 21, 23
—— subgen. *Mellichampia* (A. Gray ex S. Wats.) Woodson 23
—— *boerhaviifolium* Hook. & Arn. 21, 23
—— *morrenioides* D.J. Goyder †21, *22, 23
Cynorkis 367
Cynosurus echinatus L. 182
Cypella 159
Cyperaceae: New species and a new combination in Cyperaceae from Brazil. Notes on Brazilian Cyperaceae: VI, D.A. Simpson 699
Cyperaceae 699, 703, 707
Cyperus L. †699, 701, 703
—— sect. *Leucocephali* 701
—— *almensis* D.A. Simpson †699, *700
—— *brumadoi* D.A. Simpson †701, *702
—— *pohlii* (Nees) Steud. subsp. *bahiensis* (D.A. Simpson) D.A. Simpson †701
—— *schomburgkianus* Nees 701
—— *subcastaneus* 699, 701
Cyrtostachys 231

Daemonorops 226, 236-7
—— *angustifolia* 226
—— *collarifera* Becc. 224
—— *cristata* Becc. 224
—— *oblata* J. Dransf. 224, 226
—— *sparsiflora* 226
—— *verticillaris* 226
Danäe 63, 64

Daniel, Thomas F.
Daniel, Thomas F. & Acosta C., Salvador: A new species of Justicia (Acanthaceae) from southern Mexico 119
Danin, A. *Reviewer*: Key to Egyptian Grasses, by Thomas A. Cope & Hasnaa A. Hosni 193
Daphnia longispina O.F. Müll. 171
—— *magna* Straus. 171
Daphniidae 171
Daphniphyllum 611
Datura stramonium L. 183
Dauncey, E.A. & Cribb, P.J.: Dendrobium (sect. Pedilonum) purpureum Roxb. (Orchidaceae) and its allies 545
Davies, R.A. & Lloyd, K.M.: Index Kewensis Supplement XIX (1986-1990) (Rev.) 199
Davis, A.P., Lobin, W. & Brickell, C.D.: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from from N ETurkey 161
Deckenia 233
—— *nobilis* H. Wendl. ex Seem. 225
Dendophorbium brachycodon (Baker) C. Jeffrey 281
Dendrobium (sect. Pedilonum) purpureum Roxb. (Orchidaceae) and its allies, E.A. Dauncey & P.J. Cribb 545
Dendrobium purpureum Roxb.: Dendrobium (sect. Pedilonum) purpureum Roxb. (Orchidaceae) and its allies, E.A. Dauncey & P.J. Cribb 545
Dendrobium Sw. sect. *Calyptrochilus* 559
—— sect. *Oxyglossum* 560
—— sect. *Pedilonum* (Blume) Lindl. 545, 560, 563
—— *taveuniense* 549
—— *calcaratum* 553
—— *capituliflorum* (Rolfe) Brieger 566, 569
—— —— Rolfe 547-9, †566, *567, 568-9, 572
—— —— var. *viride* J.J. Sm. 566, 569
—— *catillare* auct.non Rchb.f. 561
—— —— Rchb.f. 545, 547-9, †557, *558, 560-1, 563
—— *chrysocephalum* Kraenzl. 553
—— *coeleste* Loher 548
—— *confusum* J.J. Sm. 547, 566, 569
—— *constrictum* auct. non J.J. Sm. 566
—— —— J.J. Sm. 547, 549, 569, †570, *571-2
—— *glomeriflorum* Kraenzl. 560
—— *glossotis* Rchb.f. 547-8, 557, 560
—— *kraemeri* Schltr. 547-549, †563, *564-6
—— —— var. *pseudokrameri* (Fukuyama) Lane 566
—— *limosum* C. Jeffrey 282
—— *mimiense* Schltr. 572
? —— *mimiense* 570
—— *mohlianum* Rchb.f. 559, 560, 563
—— *molle* 572
—— *morrisonii* Schltr. 547-9, †555, *556-7
—— *ophioglossum* Rchb.f. 548
—— *pluricephalum* 282
—— *praeustum* Kraenzl. 552-3
—— *pseudokraemeri* Fukuy. 565-6
? —— *pseudokraemeri* 563
—— *purpureum* auct. non Roxb. 557
—— —— Roxb. 545-8, †549, 551-4, 557, 561, 563, 566, 568-9, 572
—— —— subsp. *candidulum* (Rchb.f.) Dauncey & P.J. Cribb 549, *550, †554
Dendrobium
Dendrobium purpureum subsp. *purpureum* 547, 549, *550, †551-4
—— —— var. *candidulum* Rchb.f. 553-4
—— —— var. *caustidulum* Rchb.f. 553
—— —— var. *moseleyi* Hemsl. 552
? —— *purpureum* Roxb. var. *steffensianum* Schltr. 554
—— *reinwardtii* Lindl. 552-3
—— *scabripes* Kraenzl. 552-3
—— *'serratum'* 557
—— *sertatum* Rolfe 547-8, 557
—— *smillieae* F. Muell. 548
—— *taveuniense* Dauncey & P.J. Cribb 545, 548, †561, *562-3
—— *victoriae-reginae* Loher 548
—— *viridiroseum* Rchb.f. 546-7, 552-3
Dendrocalamus 524, 528
—— *hirtellus* Ridl. 530
Dendrophorbium 280-1
—— *brachycodon* (Baker) C. Jeffrey 281, 287
—— *bradei* (Cabrera) C. Jeffrey 281, 287
—— *catharinense* (Dusén ex Cabrera) C. Jeffrey 281, 288
—— *fastigiaticephalum* (Cabrera) C. Jeffrey 281, 289
—— *fruticosum* (Vell.) C. Jeffrey 281, 289
—— *glaziovii* (Baker) C. Jeffrey 282, 289
—— *limosum* 291
—— *missionum* (Cabrera) C. Jeffrey 282
—— *pellucidinerve* (Sch. Bip. ex Baker) C. Jeffrey 282, 286, 293
—— *pluricephalum* (Cabrera) C. Jeffrey 282, 292-3
Dermestidae 178
Deroceras reticulatum Müll. 171
Desmoncus 235
Desmostemon 715, 717
—— *zeylanicus* Thwaites 715, 717, 719, 723
—— —— var. *minor* Thwaites 715, 723
Dichantharellaceae Jülich 37
Dichantharellus Corner 37, 38, 41, 42, 46, 48, 51
Dichopleuropus Reid 37, 38, 41, 42, 46, 48, 50
—— *spathulatus* 38, 41
Dichostereaceae Jülich 37, 50, 51
Dichostereum Pilát 37, 38, 41, 42, 46, 48
—— *durum* 38
—— *granulosum* (Fr.) Boidin 41
Dictyocaryum 229, 230, 233
Dictyosperma 232, 238
—— *album* (Bory) H. Wendl. & Drude ex Scheffer 225
Didymiaceae 184
Dienerella filum (Aubé) 178
Dietes 157-8
Digitaria Haller 403, 405
Dilochia: A new combination in Dilochia (Orchidaceae), S. Thomas 401
Dilochia 401
—— *rigida* 401
—— *subsessilis* (Rolfe) S. Thomas †401, *402
Dimorphocalyx Thwaites 716-8
Dinochloa 524, 528, 530
—— *montana* Ridl. 528, 530
Diodia angolensis: The identity of Diodia angolensis S. Moore (Rubiaceae), C.D. Adams, B. Verdcourt 278
Diodia 278
—— *angolensis* S. Moore 278

Diodia
Diodia apiculata (Willd. ex Roem. & Schult.) K. Schum. †278
—— *dasycephala* Cham. & Schldtl. 278
—— *rigida* (Willd. ex Roem. & Schult.) Cham. & Schldtl. 278
Dioscoreaceae 183
Diosmia 672
Dipcadi concanense (Dalz.) Baker 737
Diplopoda 171
Dipogon lignosa (L.) Verdc. 681
Diptera 181
Dipteracanthus nitens Nees †17
Dipterocarpus alatus: A new synonym and a range extension for Dipterocarpus alatus, Tem Smitinand, Paul B. Tompsett & Martin Cheek 397
Dipterocarpus 397
—— *alatus* Roxb. ex G. Don 397, †398
—— *gonopterus* Turcz. 398
—— *gracilis* Blume 398
—— *grandiflorus* Blanco 398
—— *incanus* Roxb. 398
—— *perakensis* Ashton 398
—— *philippinensis* Foxw. 397-8
The distribution of Phenax sonneratii and the identity of Pouzolzia conulifera (Urticaceae), I. Friis 407
Dixit, G.B., Yadav, S.R., Patil, V.N. & Singh, N.P.: A new species of Brachystelma (Asclepiadaceae) from India 59
Dorcus parallelipedus (L.) 180
Doryopteris sect. *Doryopteris* 15
Doryopteris-Pteridaceae: A new species of Doryopteris (Section Doryopteris-Pteridaceae) from Brazil, J. Prado 13
—— *collina* (Raddi) J. Sm. 15
—— *cordifolia* (Baker) Diels 13, 15
—— *lorentzii* (Hieron.) Diels 15
—— *nobilis* (Moore) C. Chr. 15
—— *pedata* (L.) Fée 15
—— *trilobata* J. Prado †13, *14, 15
—— *varians* (Raddi) J. Sm. 15
Drosera indica L. 737
Drymophloeus 231
Du Puy, D.J., Labat, J.-N. & Schrire, B.D.: The separation of two previously confused species in the Indigofera spicata complex (Leguminosae: Papilionoideae) 727
Dypsis 230, 233, 237

Echinochloa crus-galli (L.) Beauv. 183
Echinocoryne H. Rob. 250
Echites manubriatum Wallich 140
Echium 672
Ectopsocidae 173
Ectopsocus sp. 173
Edmondia pinifolia (Lam.) Hilliard 682
Edwards, Peter J. *Reviewer*: Ecology of a garden. The first fifteen years., by Jennifer Owen 630
Edwards, K.S. & Prance, G.T.: New species of Panopsis (Proteaceae) from South America 637
Eirmocephala H. Rob. 250
Elaeis 234
—— *guineensis* 234
Eleiodoxa 226, 237
Eleocarpus group *Tenuissimae* 707
—— *nigrescens* (Nees) Steudel 707

Eleocharis
Eleocharis R. Br. †703
—— *almensis* D.A. Simpson †703, *704-5
—— *filiculmis* 703, 705
—— *nigrescens* (Nees) Steudel 707
—— *obpyriformis* D.A. Simpson †705, 707, *708
—— *olivaceonux* D.A. Simpson †705, *706
—— *sellowiana* 705
Eleutherostemon galioides (Lam.) Klotzsch 768
—— *multiglandulosus* Willd. ex Klotzsch 768
Emilia 280, 282
—— *coccinea* sensu auct. non (Sims) G. Don 282
—— *fosbergii* Nicolson 282
—— *javanica* sensu auct. non (Burm.f.) C.B. Rob. 282
—— *sagittata* sensu auct. p.p. non DC. 282
—— *sonchifolia* (L.) DC. ex Wight 281-2
Emydidae 170
Enallagma 174
—— *cyathigerum* (Charp.) 173
Endopogon consanguineum Nees 763
—— *consanguineus* Nees 763
—— *cuspidatum* Benth. 763
—— *versicolor* Wight 763
Endostemon: A new combination in the genus Endostemon (Labiatae), O. Ryding 99
Endostemon 99, 101-2
—— sect. *Endostemon* 101
—— *"camporus"* 101
—— *camporum* (Gürke) Ashby 99, 101, 103
—— *ellenbeckii* 99
—— *friisii* 99
—— *kelleri* (Briq.) O. Ryding †99, *100-3
—— *tereticaulis* (Poir.) Ashby 99, *100-3
—— *tomentosus* *100-1, 103
Ephemeroptera 173
Epimedium (Berberidaceae): The small-flowered Chinese species of Epimedium (Berberidaceae), William T. Stearn 807
Epimedium 807, 809
—— ser. *Brachycerae* 807
—— *acuminatum* 808
—— *baojinense* 808
—— *brevicornu* Maxim. 807-8, †809
—— *coactum* H.R. Liang & W.M. Yan 807-8, †809
—— *davidii* 808
—— *dolichostemon* Stearn 807-8, †809
—— *ecalcaratum* G.Y. Zhong †809
—— *elongatum* 808
—— *fargesii* Franchet 807-8, †809
—— *glandulosopilosum* 808
—— *hunanense* 808
—— *leptorrhizum* 808
—— *membranaceum* 808
—— *ogisui* 808
—— *platypetalum* 808
—— *pubescens* Maxim. 807-8, †809
—— *reticulatum* C.Y. Yu 807-8, †809
—— *sagittatum* (Sieb. & Zucc.) Maxim. 807-8, †809, 811
—— *simplicifolium* 808
—— *stellulatum* Stearn 807-8, †810, 811
—— *sutchuenense* 808
—— *truncatum* H.R. Liang 807-8, †813
—— *wushanense* 808
—— *zhushanense* 808
Eranthemum pelagicum Seem. 308
—— *variabile* var. *grandiflorum* Benth. 307-8

Erechtites

Erechtites 280, 282, 286
—— *ambigua* DC. 283-4
—— *cacalioides* (Fisch. ex Spreng.) Less. 283
—— *carduifolia* (Cass.) DC. 283
—— —— var. *latifolia* Klatt 283
—— *gardneriana* Cabrera 283, 285
—— —— var. *organensis* (Gardner) Baker 285
—— *goyazensis* (Gardner) Cabrera 283-4, 290
—— *hieraciifolia* (L.) Raf. ex DC. 283
—— —— Walp. 283
—— —— var. *cacalioides* (Fisch. ex Spreng.) Griseb. 283-90, 295
—— —— (L.) DC. var. —— Less. f. *pubescens* Kuntze 283
—— *ignobilis* Baker 284
—— *missionum* Malme 284
—— var. *lanceolata* Chodat & Hassl. 283-4
—— *organensis* Gardner 284
—— *petiolata* Benth. 284
—— *prenanthoides* (Kunth) Greenm. & Hieron. ex Hieron. 284
—— *sulcata* Gardner 283-4
—— *valerianifolia* (Wolf) DC. 284, 289
—— —— s. lat. 292
—— *valerianifolia* f. *organensis* (Gardner) Belcher 284-5
—— —— f. *prenanthoides* (Kunth) Cuatrec. ex Belcher 281, 283-5
—— —— f. *reducta* Belcher 284
—— —— f. *valerianifolia* 281, 283-4, 294-5
—— var. *organensis* (Gardner) Baker 284-5
Eremospatha 209, 227, 236-7
—— *cuspidata* (G. Mann & H. Wendl.) H. Wendl. 224
—— sp. 224
—— sp. *Macrocarpa* 209
Erica: Studies in the Ericoideae (Ericaceae). XI. The generic relationship between Erica and Blaeria, E.G.H. Oliver 771
Erica L. 670-1, 674, 676-7, 771-2, 774-8
—— sect. *Arsace* 778
—— sect. *Chlorocodon* 778
—— sect. *Polydesmia* 778
—— sect. *Pseuderemia* 778
—— *abietina* L. 767
—— *arborea* L. 775-6
—— *arborescens* (Willd.) E.G.H. Oliver †768
—— *benguelensis* (Welw. ex Engl.) E.G.H. Oliver †776
—— *brachyphylla* (Benth.) E.G.H. Oliver †769
—— *embothriifolia* Salisb. 664
—— *esterhuyseniae* Compton 774
—— *excelsa* (Alm & Fries) Beentje †776
—— *eylesii* L. Bol. 775
—— —— var. *blaeriodes* Wild 775
—— *filiformis* Salisb. †774
—— *galioides* Lam. †768
—— *hexandra* (S. Moore) E.G.H. Oliver †776
—— *imbricata* L. 767
—— *lanceolifera* S. Moore †775
—— *lycopodiastrum* Lam. 768
—— *mannii* (Hook.f.) Beentje †776
—— *mauritiensis* E.G.H. Oliver †767
—— *milanjiana* H. Bol. †775
—— *montana* Sincl. 768
—— *nivenia* Andr. 664

Erica

Erica nivenii Benth. 664
—— *nyassana* (Alm & Fries) E.G.H. Oliver †776
—— *parvula* Guth. & Bol. 773
—— *pleiotricha* S. Moore 775
—— *reunionensis* E.G.H. Oliver nom. nov. †768
—— *thryptomenoides* S. Moore 775
—— *woodii* H. Bol. †774, 778
—— —— sect. *Chlorocodon* 778
—— sp. 663, 670, 679, 779
—— sp. aff. *esterhuyseniae* Compton †774
Ericaceae 664, 767, 772
—— subfam. *Ericoideae* 778
—— tribe *Ericeae* 671
Ericinella Klotzsch 771-2, 775, 777
Ericoideae (Ericaceae): Studies in the Ericoideae (Ericaceae). X. Nomenclatural changes for the Flore des Mascareignes region, E.G.H. Oliver 767
Ericoideae (Ericaceae): Studies in the Ericoideae (Ericaceae). XI. The generic relationship between Erica and Blaeria, E.G.H. Oliver 771
Ericoideae 771, 777
Erinus 672
Eriocampa ovata (L.) 180
Eriocaulon sp. 737
Erythromma najas Hansemann 174
Esula 795
Ethiopia: The genus Stachys (Labiatae) in Ethiopia and Somalia, Sebsebe Demissew 327
Ethiopia: Notes on Euphorbia subgen. Chamaesyce in Ethiopia, M.G. Gilbert 125
Ethnobotany: The synonymy of Anodendron paniculatum (Apocynaceae) with notes on distribution and ethnobotany in Papuasia, Paul I. Forster 139
Eu-endostemon Ashby 101
Euclidia glyphica (L.) 178
Eugeissona 236-7
—— *brachystachys* Ridley 210, 224
—— *tristis* 210
Eugeissoninae 236
Eugenia sens. lat. 589
—— sens. str. 589
—— *anacardiifolia* Craib 592
—— *angkae* Craib 592
—— *attenuatum* Miq. var. *montanum* M.R. Hend. 593
—— *borneensis* Miq. 605
—— *cacuminis* Craib 595
—— *caudata* King 596
—— *cinerea* Kurz 596
—— *circumscissa* Gagnep. 593
—— *dyeriana* King 596
—— *filiformis* Duthie 598
—— —— var. *parvifolia* Craib 598
—— *furfuracea* Craib 608
—— *fuscescens* Craib 598
—— *glandulosa* King 590
—— *glauca* King 598
—— *globiflora* Craib 598
—— *helferi* Duthie 599
—— *hemsleyana* King 599
—— *hulletiana* King 601
—— *irregularis* 607
—— *ixoroides* Elmer 601

Eugenia

Eugenia jasminifolia Ridl. 602
—— *javanica* Lam. 609
—— —— var. *parviflora* Craib 609
—— *jugorum* Craib 602
—— *laevicaulis* Duthie 607
—— *maingayi* Duthie 590, 593, 605
—— *microcalyx* 607
—— *oblongifolia* Duthie 605
—— *paniala* Roxb. 591
—— *pergamentacea* King 608
—— *praineana* King 608
—— *pseudotetraptera* King 590
—— *punctifolia* Ridl. 610
—— *quadrialata* Craib 592
—— *referta* Craib 608
—— *ridleyi* King 608
—— *rigens* Craib 609
—— *scortechinii* King 609
—— *siamensis* Craib 609
—— *smaliana* Brandis 609
—— *spissa* Craib 592
—— *subhorizontalis* King 590
—— *sublaeta* Craib 602
—— *ugoensis* 605
—— *variolosa* King 590
Eupatorium crenulatum Gardner 411
Euphorbia subgen. Chamaesyce: Notes on Euphorbia subgen. Chamaesyce in Ethiopia, M.G. Gilbert 125
Euphorbia: Two new species of Euphorbia L. (Euphorbiaceae) from Burma, M.S. Binojkumar & N.P. Balakrishnan 795
Euphorbia L. †125, 795
—— sect. *Balsamis* Webb & Berth. 312
—— sect. *Pachycladae* Boiss. 312
—— *arabica* Hochst. & Steud. ex Anderson †125
—— *atoto* G. Forster 798
—— *fidjiana* Boiss. 312
—— *glauca* Forst.f. 312
—— *granulata* 126
—— —— var. *dentata* 126
—— —— var. *glabrata* 126
—— —— var. *granulata* 126
—— *inaequilatera* sens. str. 126
—— —— Sond. †126
—— —— var. *dentata* 126
—— *kanalensis* Boiss. 312
—— *kingdon-wardii* 795, *797, †798
—— *lathyrus* L. 181
—— *luteo-viridis* Long 798
—— *norfolkiana* Boiss. †312
—— *obliqua* Endl. 312, †313, *315
—— *parkeri* Binojkumar & N.P. Balakr. †795, *796, 798
—— *plumerioides* Teijsm. 312
—— *polycnemoides* Boiss. 126
—— *propinqua* R. Br. ex N.E. Br. 125
—— *psammogeton* 313, †314, *315
—— *ramosissima* Hook. & Arn. 313-4
—— *seclusa* N.E. Br. 125
—— *serrulata* Thuill. 182
—— *sparrmanii* †313-4
—— *tannensis* Spreng. 312
Euphorbiaceae: The genus Paracroton (Euphorbiaceae) in the Indian subcontinent, N.P. Balakrishnan & T. Chakrabarty 715

Euphorbiaceae

Euphorbiaceae: Notes on African Euphorbiaceae XXIX: Uapaca, A. Radcliffe-Smith 611
Euphorbiaceae: Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon, A. Radcliffe-Smith 165
Euphorbiaceae: Two new species of Euphorbia L. (Euphorbiaceae) from Burma, M.S. Binojkumar & N.P. Balakrishnan 795
Euphorbiaceae 125, 312, 611
—— subfam. *Phyllanthoideae* 611
—— subtribe *Pseudanthinae* 165
—— subtribe *Uapacinae* 611
—— tribe *Antidesmeae* 611
—— tribe *Caletieae* 165
—— tribe *Codieae* (Pax) Hutch. 718
—— tribe *Phyllantheae* 611
—— tribe *Pseudanthinae* 165
—— tribe *Trigonostemonae* 718
—— tribe *Uapaceae* 611
Eurrhypara hortulata (L.) 177
Euterpeinae 230
Euvicia 739
Exochomus quadripustulatus (L.) 179

Fahrenheitia Reichb.f. & Zoll. 715-8
—— *collina* Reichb.f. & Zoll. ex Muell. Arg. 715-7
—— *integrifolia* (Airy Shaw) Airy Shaw 716, 718
—— *minor* (Thwaites) Airy Shaw 716, 723
—— *pendula* (Hassk.) Airy Shaw 716-7
—— *sterrhopoda* Airy Shaw 716, 718
—— *zeylanica* (Thw.) Airy Shaw 719
Falk, Donald A., Holsinger, Kent E.: Genetics and Conservation of Rare Plants (Rev.) 425
Fareinhetia Baill. 717
Fauna 170
Felicia filifolia (Vent.) Burtt-Davy 682
Ferguson, I.K. & Harley, M.M.: The significance of new and recent work on pollen morphology in the Palmae 205
Ferguson, I.K. *Reviewer*: Erdtman's Handbook of Palynology. 2nd edition, by Siwert Nilsson & Joseph Praglowski (Eds.) 628
Festuca rubra L. 182
—— subsp. *commutata* Gaud. 182
Five new taxa of Xyris (Xyridaceae) from Brazil, R. Kral & M.G.L. Wanderley 577
Flora of the Palni Hills: Precursory notes for a Flora of the Palni Hills, South India: II, K.M. Matthew 757
Flora of Tropical East Africa, Umbelliferae. A new synonym, C.C. Townsend 306
Flora Zambesiaca: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Flore des Mascareignes region: Studies in the Ericoideae (Ericaceae). X. Nomenclatural changes for the Flore des Mascareignes region, E.G.H. Oliver 767
Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae), Jon P. West & Jill Cowley 799
Formicidae 180

Forster, Paul I.

Forster, Paul I.: The synonymy of Anodendron paniculatum (Apocynaceae) with notes on distribution and ethnobotany in Papuasia 139
Four new genera of bamboos (Gramineae: Bambusoideae) from Malesia, K.M. Wong 517
Fragaria × *ananassa* Duchesne 181
Fraxinus angustifolia Vahl 418
—— *pallisiae* Lindl. 181
—— *rotundifolia* Miller 418
Friis, I.: The distribution of Phenax sonneratii and the identity of Pouzolzia conulifera (Urticaceae) 407
Fritzschia bahiana Ule 387
Fuerstia: Notes on Fuerstia (Labiatae) in Tropical Africa, Alan Paton 129
Fuerstia T.C.E. Fries 129, 130, 135
—— *adpressa* Paton 129, †132, *133
—— *africana* T.C.E. Fries 129, 136
—— *angustifolia* G. Tayl. 130
—— *bartsioides* (Baker) G. Tayl. 132, 135
—— *dendrothrix* 129, *133, †135
—— *ternata* Paton 129, †130, *131-2
—— *tuberosa* (Briq.) G. Tayl. 132, 135
Fungi 183

Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from NE Turkey, W. Lobin, C.D. Brickell & A.P. Davis 161
Galanthus 163
—— *caucasicus* (Baker) Grossh. 161, 163
—— *elwesii* Hooker 161, 163
—— *koenenianus* Lobin, Brickell & Davis †161, *162-3
Galerucella nymphaeae (L.) 180
Galinsoga ciliata (Rafin.) S.F. Blake 181
Garcinia: A new combination in Garcinia (Guttiferae), D.C. Zappi 410
Garcinia L. 410
—— *gardneriana* (Planchon & Triana) Zappi †410
Gasson, Peter *Reviewer*: Wild Orchids of Dorset, by Martin N. Jenkinson 426
Gasteria Duval 105, 110
Gastrococos 234
—— *crispa* (Kunth) H.E. Moore 225
Gastropoda 171
Gaussia 228
—— *maya* (O.F. Cook) R.W. Read & Quero 224
The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy, G.F. Smith & A.E. van Wyk 105
The genus Asplenium L. (Aspleniaceae: Pteridophyta) in the Tristan-Gough Island group, J.P. Roux 79
The genus Paracroton (Euphorbiaceae) in the Indian subcontinent, N.P. Balakrishnan & T. Chakrabarty 715
The genus Stachys (Labiatae) in Ethiopia and Somalia, Sebsebe Demissew 327
Geometridae 178
Geonoma macrostachys 239
George, A.S. (Exec. Ed.): Flora of Australia, Volume 35. Brunoniaceae and Goodeniaceae (Rev.) 623
Geraniaceae 664

Geranium

Geranium 672
—— *rotundifolium* L. 182
Gerridae 176
Gerris gibbifer Schum. 176
Gigantochloa 524, 528
Gilbert, M.G.: Notes on Euphorbia subgen. Chamaesyce in Ethiopia 125
Gilbert, M.G.: A review of Gisekia (Gisekiaceae) 343
Gillett, J.B. *Reviewer*: The Connaraceae, a taxonomic study with emphasis on Africa, by F.J. Breteler (Ed.) & Various contributors. 196
Gisekia: A review of Gisekia (Gisekiaceae), M.G. Gilbert 343
Gisekia 343-5, 349
—— *africana* (Lour.) Kuntze 345, †349-3
—— var. *africana* 349, †350-1, 353
—— var. *cymosa* Adamson 347, 349, 350
—— —— var. *decagyna* Hauman 349, †350, 354
—— var. *pedunculata* (Oliv.) Brenan 349, †350-1, 353-4
—— var. *pharnaceoides* 347
—— *aspera* Klotzsch 350-1
—— *congesta* Moq. 347
—— *diffusa* M. Gilbert 345, †348-9, 353-4
—— *haudica* M. Gilbert 345, 351-3
—— *linearifolia* Schumach. & Thonn. 347, 352
—— *miltus* Fenzl 349
—— var. *pedunculata* Oliv. 350
—— *molluginoïdes* (Murray) Wight 347
—— *occulta* (Forssk.) Roem. & Sch. 347
—— *paniculata* Hauman 345, †349
—— *pentadecandra* Moq. 350
—— *pharnaceoïdes* L. 345, †346, 348, 352-3
—— var. *alata* M. Gilbert 346, †347, 351
—— var. *congesta* (Moq.) Oliver 347
—— var. *linearifolia* (Schumach. & Thonn.) Chiov. 347
—— var. *pedunculata* Oliver 347
—— var. *pharnaceoïdes* †347
—— —— var. *pseudopaniculata* 346, 348
—— var. *sieberi* Moq. 347
—— *pierrei* Gagnep. 350
—— *polylopha* 346, †353-4
—— *rubella* Hochst. ex Moq. 347
—— *scabridula* M. Gilbert 346, †352, 354
Gisekiaceae: A review of Gisekia (Gisekiaceae), M.G. Gilbert 343
Gisekiaceae 343
Gladiolus 672
—— *carinatus* Ait. subsp. *carinatus* 664
—— *nivenii* Bak. 664
Glandularia Gmel. 143-4, 148-9
Glasnevin, Dublin: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K), E. Charles Nelson & John P. Rourke 663
Glinus mosambicensis Sprengel 349
Gloeocystidiaceae 46
Gloeocystidiellaceae (Parm.) Jülich 44
Gloeocystidiellum Donk 42
Glomera montana Rchb.f. 559
Glossocardia bosvallia (L.f.) DC. †502
Glossophaga soricina (Pallas) 304

Glyptochloa
Glyptochloa sp. 737
Gnidia 672
Gonepteryx rhamni (L.) 177
Gonocormus saxifragoides (C. Presl) Bosch 618
Goodeniaceae 316
Goyder, D.J.: Two new species of Asclepiadaceae from NE Brazil 21
Gracillariidae 177
Gramineae: Bambusoideae: Four new genera of bamboos (Gramineae: Bambusoideae) from Malesia, K.M. Wong 517
Gramineae: Taeniorhachis: a new genus of Gramineae from Somalia, T.A. Cope 403
Gramineae 183
Graphistylis (Dusén) B. Nord. 280, 285
—— *argyrotricha* (Dusén) B. Nord. 285, 287
—— *cuneifolia* (Gardner) B. Nord. 285, 289
—— *dichroa* (Bong.) D.J.N. Hind 281, 285, 289
—— *itatiaiae* (Dusén) B. Nord. 279, 285, 291
—— *oreophila* (Dusén) B. Nord. 285, 292
—— *organensis* (Casar.) B. Nord. 279, 285, 292
—— *toledoi* (Cabrera) B. Nord. 285, 294
Green, P.S. *Reviewer*: Flora of Australia, Volume 35. Brunoniaceae and Goodeniaceae, by A.S. George (Exec. Ed.) 623
Green, P.S. *Reviewer*: Flora Vitiensis Nova, a new Flora of Fiji. Volume 5, by Albert C. Smith 431
Green, P.S. & Lawrence, T.J.: The anatomy of a dehiscent berry 53
Green, P.S.: Notes relating to the floras of Norfolk & Lord Howe Islands, IV 307
Green, P.S.: Two new combinations in Crepidomanes and one in Cephalomanes (Hymenophyllaceae) 618
Grisebachia nivenii N.E. Br. 664
Gronophyllum 231-2
—— *densiflorum* Ridley 225
—— *microcarpum* Scheffer 225
Gryllidae 172
Gryllodes sigillatus (Walker) 172
Guedesia 149
Guide: Kew Bulletin - Guide for Authors, J.M. Lock (Ed.) 185
Guizotia bidentoides Oliv. & Hiern 450
—— *jacksonii* (S. Moore) J. Baagøe †501, †502
Gulubia 231
—— *macrospadix* (Burret) H.E. Moore 225
Guttiferae: A new combination in Garcinia (Guttiferae), D.C. Zappi 410
Guttiferae 410, 417
Gynopogon alyxia Forst.f. 309
Gynura Cass. 285
—— *aspera* Ridl. 283, 285
—— *malasica* (Ridl.) Ridl. 283, 285
—— *rosea* Ridl. 285
—— *zeylanica* Trimen var. *malasica* Ridl. 283, 285
Gypsophila capillaris (Forssk.) C. Chr.: A reconsideration of Gypsophila series Deserticolae Barkoudah (Caryophyllaceae) including G. capillaris (Forssk.) C. Chr., Sue Zmarzty 683
Gypsophila series Deserticolae Barkoudah: A reconsideration of Gypsophila series Deserticolae Barkoudah (Caryophyllaceae) including G. capillaris (Forssk.) C. Chr., Sue Zmarzty 683
Gypsophila 683
—— sect. *Dichoglottis* 692
—— ser. *Deserticolae* Barkoudah 683, 685, 691-3
—— – *antari* Post & Beauverd ex Dinsmore 683, 685, †689-3
—— *arabica* Barkoudah 683, †684-6, 688-4
—— *capillaris* (Forssk.) C. Chr. †693
—— —— Forsskål 684-6, 688-94
—— —— subsp. *capillaris* †694
—— —— subsp. *confusa* Zmarzty 692-3, †694
—— *obconica* Barkoudah 683-5, 690-4
—— *rokejeka* A.R. Delile 683, 693

Habenaria: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Habenaria sect. Podandria: Two new species of Habenaria sect. Podandria (Orchidaceae) from West Africa, I.F. la Croix 369
Habenaria 369, 764
—— sect. *Diphylla* Kraenzl. 361
—— sect. *Podandria* 369
—— sect. *Replicata* Kraenzl. 359
—— *acuminata* (Thwaites) Trimen 765
—— *buntingii* Rendle 369
—— *hebes* la Croix & Cribb †357, *358-9
—— *leucotricha* Schltr. 361
—— —— var. *recticalcar* la Croix †361
—— *livingstoniana* la Croix & Cribb †359, *362
—— *macrandra* Lindl. 369, 371, 373
—— *macrostele* 359
—— *pallideviridis* Seidenf. †764
—— *phantasma* †369, *370-1
—— *praetermissa* I. la Croix †371, *372-3
—— *strangulans* Summerh. 359
—— *stylites* Reichb.f. 359
—— *tubifolia* la Croix & Cribb †359, *360
—— *ugandensis* Summerh. 357, 359
Haemodoraceae 236
Halmoorea 229
Harley, M.M., Leach, G.J. & Townsend, C.C.: Omegandra, a new genus of Amaranthaceae from Australia 787
Harley, M.M. & Ferguson, I.K.: The significance of new and recent work on pollen morphology in the Palmae 205
Harley, R.M. *Reviewer*: Hepaticae and Anthocerotae of North America East of the Hundredth Meridian. 5 Jubulaceae to Sphaerocarpales. 6 Marchantiales and Anthocerotae, by Rudolf M. Schuster 632
Harmonia quadripunctata Pontoppidan 179
Hartogia nivenii (Sond.) Kuntze 664
Haworthia Duval 105, 107, 110
—— *blackburniae* Barker 110
Hay, A.: Aroids of Papua New Guinea (Rev.) 193
Hedberg, Inga, Edwards, Sue (Eds.) : Flora of Ethiopia. Vol. 3. Pittosporaceae to Araliaceae (Rev.) 624
Hedyotis: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae),

Hedyotis
V.V. Sivarajan, S.D. Biju & Philip Mathew 391
Hedyotis L. 391-3
—— *brachypoda* (DC.) Sivar. & Biju 393
—— *brevicalyx* Sivar., Biju & P. Mathew †393, *394
—— *corymbosa-diffusa* 391
—— *erecta* Mani. & Sivar. 393
—— *puberula* sensu Deb & Dutta 395
—— —— (G. Don) Arn. 392-3, 395
—— *umbellata* (L.) Lam. 391-3, 395
—— *wightii* (Hook.f.) Sivar. 393, *394, †395
Hedyscepe 230
—— *canterburyana* (C. Moore & F. v. Muell.) H. Wendl. & Drude 225
Helichrysum foetidum (L.) Moench 682
—— *stellatum* (L.) Less. 682
Helicina tenuis 171
—— sp. 171
Helicinidae 171
Helipterum variegatum (Bergius) DC. 682
Hemiptera-Heteroptera 175
Hemiptera-Homoptera 176
Hemizygia 136
Heracleum 760
—— *hookerianum* C.B. Clarke 760
—— *mantegazzianum* Sommier & Levier 182
—— *rigens* Wallich 760
—— —— Wallich ex DC. †760
—— —— var. *elongatum* Gamble 760
—— —— var. *multiradiatum* Gamble 760
Hericiaceae 46
Hericiales 44, 50
Hermannia 672
Heusden, E.G.H. van: Flowers of Annonaceae: Morphology, classification, and evolution. Blumea Supplement 7 (Rev.) 817
Hicksbeachia pinnatifolia F. Muell. 643-4
Hieracium L. †253
—— sect. *Hypochaeridiformia* Arvet-Touvet 253
—— subgen. *Stenothecae* (Monn.) Torr. & Gray 253
—— *stannardii* D.J.N. Hind †253, *255
Himalayan: The identity of Himalayan 'Seseli sibiricum' (Umbelliferae), M.G. Pimenov 781
Hind, D.J.N.: A checklist of the Brazilian Senecioneae (Compositae) 279
Hind, D.J.N.: A new combination in Trichogonia (Compositae) 411
Hind, D.J.N.: Notes on Compositae of Bahia, Brazil: I 245
Hinterhubera abyssinica (Sch. Bip.) Schweinf. & Asch. 491
Histiopteris incisa (Thunb.) J. Sm. 83, 85, 94
Hoehnephytum Cabrera 257, 280, 285
—— *almasense* D.J.N. Hind †257, *260, 286
—— *imbricatum* (Gardner) Cabrera 257, 286, 291
—— *trixoides* (Gardner) Cabrera 257, 286, 294
Holarrhena antidysenterica (Roth) A. DC. 61
Holttumochloa 517, †518
—— *korbuensis* K.M. Wong †520, *522-3
—— *magica* (Ridley) K.M. Wong 518, *519, †520, *521
—— *pubescens* K.M. Wong 520, †523
Homewood, Katherine
Homewood, Katherine *Reviewer*: Edible wild plants of sub-Saharan Africa, by C.R. Peters, E.M. O'Brien & R.B. Drummond 820
Hopkins, H.C.F. & Hopkins, M.J.G.: Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea 297
Hordeum jubatum L. 182
—— *vulgare* L. 182
Hoslundia opposita Vahl 130
Houstonia purpurea 393
Humerobates rostrolamellatus Grandjean 172
Hyaenanche 611
Hydriastele macrospadix 232
—— *microspadix* (Beccari) Burret 225, 231
Hymenocardia 611
Hymenochaetaceae Donk 37, 38, 48, 50
—— subfam. *Hymenochaetoideae* Donk 37
Hymenochaetales 42, 44, 46
Hymenochaete Lév. 44, 46, 48
—— *rubiginosa* (Dicks.: Fr.) Lév. 38, 44
—— subfam. *Hymenochaetoideae* Donk 37
Hymenophyllaceae: Two new combinations in Crepidomanes and one in Cephalomanes (Hymenophyllaceae), P.S. Green 618
Hymenoptera 180
Hyophorbe 228
Hypericaceae 182
Hypericum dubium Leers
—— *gronovii* 417
—— *maculatum* Crantz × *perforatum* L. 182
—— *quadrangulum* 417
Hyphaene 209
—— *coriacea* Gaertn. 224
Hyphodermataceae 46
Hyptis argyrophylla 201
—— *halimifolia* 201

Ichnocarpus R. Br. 139
The identity of Diodia angolensis S. Moore (Rubiaceae), C.D. Adams, B. Verdcourt 278
The identity of Himalayan 'Seseli sibiricum' (Umbelliferae), M.G. Pimenov 781
Idiocerus herrichii Kirschb. 176
Iguanura elegans Becc. 225
Incurvariidae 177
Index Kewensis Supplement XIX (1986-1990), by R.A. Davies & K.M. Lloyd 199
India: A new species of Brachystelma (Asclepiadaceae) from India, S.R. Yadav, V.N. Patil, G.B. Dixit & N.P. Singh 59
India: A new species of Camptorrhiza (Colchicaceae) from India, S.R. Yadav & N.P. Singh 735
Indian subcontinent: The genus Paracroton (Euphorbiaceae) in the Indian subcontinent, N.P. Balakrishnan & T. Chakrabarty 715
Indian: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae), V.V. Sivarajan, S.D. Biju & Philip Mathew 391
Indigofera spicata: The separation of two previously confused species in the Indigofera

Indigofera
spicata complex (Leguminosae: Papilionoideae), D.J. Du Puy, J.-N. Labat & B.D. Schrire 727
Indigofera L. 682
—— sect. *Alternifoliae* Harvey 727
—— subsect. *Alternifoliolae* (Harvey) Gillett 727
—— *'endecaphylla'* 730-1
—— —— sensu Poir. 731
—— *anceps* Vahl ex Poir. 731
—— *bolusii* N.E. Br. 731
—— *hendecaphylla* Jacq. 727-8, *729, †731
—— —— sensu auct. div., pro parte 730
—— —— var. *acutifolia* Chiov. 730
—— —— var. *angustata* Harvey 731
—— —— var. *angustifolia* A. Rich. 730
—— —— var. *major* Baker f. 730
—— —— var. *parvula* Chiov. 730
—— *neglecta* N.E. Br. 730
—— *onobrychioides* Boiv. ex Baillon 731
—— *parkeri* Baker 730
—— *parvula* Del. 730
—— *pectinata* Baker 731
—— *schimperiana* Hochst. 730
—— *spicata* sensu auct. mult., pro parte 731
—— —— Forssk. 727, †728, *729
—— —— sens. str. 730-1
Indochina: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
Inonotus P. Karsten 44
Insecta 172
Invertebrata 171
Ipheion uniflorum (R.C. Graham) Rafin. 183
Ireland, H.E. & Lock, J.M.: A new combination in Chamaecrista (Leguminosae-Caesalpiniodeae) 296
Iriartea 229, 230, 233
Iriarteae 237
Iriartella 207, 229, 235, 237
Iridaceae: Leaf anatomy and systematics of Mariceae (Iridaceae), Paula Rudall 151
Iridaceae 157, 159, 664
—— subfam. *Iridoideae* 151, 159
—— subfam. *Ixioideae* 159
—— subfam. *Nivenioideae* 159
—— subtribe *Cipurinae* 159
tribe *Mariceae* 159
—— tribe *Tigridieae* 159
Iris 157, 672
—— *filifolia* 159
Ischnura elegans (van der Linden) 173
—— —— f. *rufescens* 174
Iulidae 171
Ixia 672

Jacobinia Nees 122
Jacqueshuberia 236
Jambosa tetraptera Miq. 590
James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K), E. Charles Nelson & John P. Rourke 663
Jenkinson, Martin N.: Wild Orchids of Dorset (Rev.) 426
Johnson, D.
Johnson, D.: Palms for human needs in Asia. Palm utilization and conservation in India, Indonesia, Malaysia and the Philippines (Rev.) 625
Juania 228
Jubaeopsis caffra 233
Juncella 159
Junellia: The taxonomic significance of chromosome number in Junellia (Verbenaceae), Silvia Botta & P.E. Brandham 143
Junellia Mold. 143-5, 148-9
—— sect. *Guedesia* Botta 148-9
—— sect. *Junellia* 149
—— sect. *Junelliopsis* Botta 149
—— sect. *Thryothamnus* 149
—— sect. *Verticiflora* (Schauer) Botta 149
—— ser. *Junellia* 149
—— ser. *Minutifoliae* (Troncoso) Botta 149
—— ser. *Pauciflorae* (Briq.) Botta 148-9
—— ser. *Seriphioideae* (Walp.) Troncoso 149
—— subgen. *Junellia* 149
—— subgen. *Thryothamnus* (Philippi) Botta 149
—— *asparagoides* 149
—— *aspera* 149
—— *glauca* 149
—— *inconcinna* 149
—— *juniperina* 149
—— *ligustrina* 145, 149
—— *longidentata* 149
—— *minima* 145, 148-9
—— *patagonica* 145, 148-9
—— *scoparia* 149
—— *seriphioides* 149
—— *serpyllifolia* 145, 148-150
—— *spathulata* var. *grandiflora* 149
—— *succulentifolia* 145, 148-9
—— aff. *minutifolia* 145-6, 148-149
Junelliopsis Botta 149
—— *asparagoides* 149
Justicia: A new species of Justicia (Acanthaceae) from southern Mexico, Salvador Acosta C. & Thomas F. Daniel 119
Justicia L. 119, 122
—— sect. *Dianthera* subsect. *Saglorithys* 122
—— *santelisiana* Acosta C. & T. Daniel †119, *120, 122

Kentiopsis 230
Kerriodoxa 208, 235
Kew Bulletin - Guide for Authors, J.M. Lock (Ed.) 185
Kinabaluchloa 517, †523-4
—— *nebulosa* K.M. Wong 524, †526, *527-8
—— *wrayi* (Stapf) K.M. Wong †524, *525-6, *527
Kleidocerys resedae (Panzer) 175
Klemachloa 524, 528
Kniphofia Moench 110
Koelreutera molluginoïdes Murray 347
Korthalsia 226, 236
Kral, R. & Wanderley, M.G.L.: Five new taxa of Xyris (Xyridaceae) from Brazil 577

la Croix, I.F. & Cribb, P.J.: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area 357
la Croix, I.F., la Croix, E.A.S. & la Croix, T.M.: Orchids of Malawi. The epiphytic

la Croix, I.F.
and terrestrial orchids from South and East Central Africa (Rev.) 427
la Croix, I.F.: Two new species of Habenaria sect. Podandria (Orchidaceae) from West Africa 369
Labat, J.-N., Du Puy, D.J. & Schrire, B.D.: The separation of two previously confused species in the Indigofera spicata complex (Leguminosae: Papilionoideae) 727
Labiatae: The genus Stachys (Labiatae) in Ethiopia and Somalia, Sebsebe Demissew 327
Labiatae: A new combination in the genus Endostemon (Labiatae), O. Ryding 99
Labiatae: New species of Stachys (Labiatae) from tropical Africa, Sebsebe Demissew 115
Labiatae: Notes on Fuerstia (Labiatae) in Tropical Africa, Alan Paton 129
Labiatae 183, 236, 246, 393, 764
—— subtribe *Ociminae* 130
Laccosperma laeve (G. Mann & H. Wendl.) H. Wendl. 224
—— *secundiflorum* (Pal. de Beauv.) O. Kuntze 224
Lachnocladiaceae Reid 37, 41, 42, 50
—— subfam. *Lachnocladioideae* 38
—— tribe *Polyporeae* 42
Lachnocladiales: Basidiome structure in Lachnocladiales sensu lato, D.N. Pegler & T.W.K. Young 37
Lachnocladiales 42
Lachnocladium Lév. 37, 38, 41, 42, 46, 48, 50
—— *schweinfurthianum* 39
zonatum Corner 41
Lactuca serriola L. 182
—— *virosa* L. 182
Lagenocarpus Nees †707
sect. *Lagenocarpus* 709
—— *compactus* D.A. Simpson †707, 709, *710
—— *rigidus* (Kunth) Nees 707, 709
Lamium hybridum Vill. 183
purpureum 181
Lampides boeticus (L.) 177
Lamprophyllum gardnerianum Miers ex Planchon & Triana 410
Lantana abyssinica Otto & Dietr. 375
—— *camara* L. 61
—— *polycephala* R. Br. 376
Laportea interrupta (L.) Chew 408
Lasianthus Jack 762
—— *acuminatus* Wight †762
coffeoides Fyson 762
parvifolius Wight 762
strigillosus Hook.f. 762
Lathridiidae 178, 179
Lathyrus hirsutus L. 182
Latín y Griego básicos para botánicos, by Bruno Manara 634
Lauraceae: Persea glabra, a new species of Lauraceae from Bahia, Henk van der Werff 25
Lauraceae 25
Lawrence, T.J. & Green, P.S.: The anatomy of a dehiscent berry 53
Leach, G.J., Townsend, C.C. & Harley, M.M.: Omegandra, a new genus of Amaranthaceae from Australia 787
Leaf anatomy and systematics of Mariceae (Iridaceae), Paula Rudall 151
Leaf anatomy
Leaf anatomy: The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy, G.F. Smith & A.E. Wyk, van 105
Leaf anatomy: Systematic leaf anatomy of Caladenia (Orchidaceae), Alec M. Pridgeon 533
Leaf Anatomy: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Lebekia simsiana Ecklon & Zeyher 681
Lefeburea cardiocarpa Gilli 306
Leguminosae: Papilionoideae: Crotalaria venusta (Leguminosae: Papilionoideae), a new species from Burma, A.A. Ansari 755
Leguminosae: Papilionoideae: Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea, H.C.F. Hopkins & M.J.G. Hopkins 297
Leguminosae: Papilionoideae: The separation of two previously confused species in the Indigofera spicata complex (Leguminosae: Papilionoideae), D.J. Du Puy, J.-N. Labat & B.D. Schrire 727
Leguminosae: Papilionoideae: Two new subspecies of Vigna unguiculata (L.) Walp. (Leguminosae: Papilionoideae), R.S. Pasquet 805
Leguminosae 56, 182, 246
subfam. *Caesalpinioideae* 236, 760
—— subfam. *Papilionoideae* 297, 757
—— tribe *Cicereae* 745
tribe *Phaseoleae* 297
—— tribe *Vicieae* 739, 745
Leguminosae-Caesalpinioideae: A new combination in Chamaecrista (Leguminosae-Caesalpiniodeae), J.M. Lock & H.E. Ireland 296
Leguminosae-Phaseoleae: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
Lentinaceae 42
Lepidaploa (Cass.) Cass. 250, 253
Lepidium sativum L. 182
Lepidoptera 177
Leptophyes punctatissima (Bosc.) 172
Lessingianthus H. Rob. 248, 250
myrsinites H. Rob. 250
Lestes sponsa (Hansemann) 174
Lestidae 174
Leucospermum calligerum (Knight) Rourke 668
Libanotis 782
buchtormensis (Fisch. ex Spreng.) DC. 782-3
—— *cycloloba* Gilli 782-4
—— *montana* 781
sibirica (L.) C.A. Mey. 781, 783
Libellula depressa L. 175
Libellulidae 173, 175
Licuala 207
Ligustrum L. 56, 757
sect. *Sarcocarpion* (Franch.) Mansfield 53
sempervirens (Franch.) Lingelsh. 53, 55, 56
—— *vulgare* 53, 55, 56
Liliaceae 5, 63, 70, 105, 111, 183
Liliales 240

Limeum

Limeum praetermissum C. Jeffrey 348
Limonia sp. 181
Linum bienne Mill. 182
Lippia: A confusion in Lippia (Verbenaceae) in tropical Africa, Sebsebe Demissew 375
Lippia 375
—— *abyssinica* (Otto & Dietr.) Cuf. †375
—— *adoensis* Hoechst. ex Walp. 375, †376-7
—— —— var. *adoensis* †377, *378
—— —— var. *koseret* †377, *378
—— *grandifolia* Hochst. ex Walp. 375-6
—— *multiflora* Moldenke 377
—— *rugosa* A. Chevalier 377
—— *savoryi* Meikle 377
Lobelia taccada Gaertn. 316
Lobin, W., Brickell, C.D. & Davis, A.P.: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from NE Turkey 161
Lock, J.M. (Ed.): Kew Bulletin - Guide for Authors 185
Lock, J.M. & Ireland, H.E.: A new combination in Chamaecrista (Leguminosae-Caesalpiniodeae) 296
Lomatophyllum Willd. 105
Lord Howe Is.: Notes relating to the floras of Norfolk & Lord Howe Islands, IV, P.S. Green 307
Lotononis 682
Lotus angustissimus L. 182
— *subbiflorus* Lag. 182
Louvelia 228, 237
—— *albicans* 228
Loxococcus 231-2
—— *rupicola* (Thwaites) H. Wendl. ex Hook. 225
Lucanidae 179
Lucanus cervus 179
Luer, Carlyle A. & Toscano de Brito, A.L.: Notes on Brazilian Orchidaceae II 326
Luisia Gaudich. 765
—— *birchea* Blume †765
—— *pulniana* Vatsala 765
Lycaenidae 177
Lychnophora 247
—— *santosii* H. Rob. 247
Lycopersicon persicum (L.) Karst. 181
Lygaeidae 175

Macadamia integrifolia Maiden & Betche 643-4
Mackeea 230
Maclurochloa 517, †528
—— *montana* (Ridley) K.M. Wong †528, *529
Macmillan, H.F. revised by Barlow, H.S., Enoch, I. & Russell, R.A.: Tropical Planting & Gardening. Sixth edition. (Rev.) 818
Macroglossus minimus (Geoffroy) 304
Macropiper Miq. †316
—— *excelsum* (Forst.f.) Miq. 316, †319
—— —— f. *psittacorum* (Endl.) A.C. Sm. 319
—— —— subsp. *excelsum* 320
—— —— subsp. *psittacorum* *317-20
—— —— var. *majus* (Cheeseman) Allen 319, 320
—— —— var. *psittacorum* (Endl.) Laing 319
—— *hooglandii* I. Hutton & P.S. Green †316, *317

Macropiper

Macropiper latifolium (L.f.) Miq. 318
—— *melchior* Sykes 320
—— *psittacorum* (Endl.) Miq. 319
Malaisia scandens (Lour.) Planch. subsp. *megacarpa* P.S. Green 316
Malay Peninsula: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
Malcomber, S.T. & Sebsebe Demissew: The status of Protasparagus and Myrsiphyllum in the Asparagaceae 63
Malesia: Four new genera of bamboos (Gramineae: Bambusoideae) from Malesia, K.M. Wong 517
Malva 180
—— *pusilla* Sm. 182
Mammalia 170
Manara, Bruno: Latín y Griego básicos para botánicos (Rev.) 634
Manicaria 230
Marcetia 385, 389
—— *oxycoccoides* Wurdack & A.B. Martins †387, *388-9
Mariceae: Leaf anatomy and systematics of Mariceae (Iridaceae), Paula Rudall 151
Mariscus 703
—— *capillaris* (Sw.) Vahl 703
—— *pohlii* subsp. *bahiensis* 703
Marojejya 233
Marsdenia R. Br. †309, 310
—— *rostrata* R. Br. 309, 310
—— *tubulosa* F. Muell. 309, *310, †311
Marticorena, C.: Bibliografía Botánica Taxonómica de Chile (Rev.) 195
Martins, Angela Borges: New species in Brazilian Melastomataceae 385
Masoala 233
Mathew, Philip, Sivarajan, V.V. & Biju, S.D.: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae) 391
Matthew, K.M.: Excursion Flora of Central Tamilnadu, India (Rev.) 627
Matthew, K.M.: Precursory notes for a Flora of the Palni Hills, South India: II 757
Maunder, Mike *Reviewer*: Genetics and Conservation of Rare Plants, by Donald A. Falk & Kent E. Holsinger 425
Mauritia flexuosa L.f. 224
Mauritiella 234
—— *pacifica* Dugand 224
Maximiliana 234
Maxted, N.: A phenetic analysis of Vicia section Atossa series Truncatulae (Leguminosae: Vicieae) 739
Meconema thalassinum (De Geer) 172
—— *varium* 172
Meconematidae 172
Medeola asparagoides L. 63
Megachiroptera 301
Melanophyllum echinatum (Roth ex Fr.) Sing. 183
Melastomataceae: New species in Brazilian Melastomataceae, Angela Borges Martins 385
Melastomataceae 246
—— tribe *Tibouchineae* 389
Meles meles (L.) 170

Meliaceae
Meliaceae: A Monograph of Aglaia (Meliaceae)- a correction, C.M. Pannell, 244
Meliaceae 244
Melilotus indica (L.) Allm. 182
Mello-Silva, Renato de: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy 1
Melocalamus 524, 528
Melocanna 524
Melolontha melolontha (L.) 179
Mesembryanthemum 672
Mesfin Tadesse: An account of Bidens (Compositae: Heliantheae) for Africa 437
Mesoligia furuncula (Denis & Schiffermüller) 178
Mesua nivenii T.C. Whitmore 664
Metroxylon 210, 226, 236
—— *amicarum* 210
—— *sagu* 210
—— *salomonense* (Warburg) Becc. 210, 224
—— *upoluense* 210
Mexico: A new species of Justicia (Acanthaceae) from southern Mexico, Salvador Acosta C. & Thomas F. Daniel 119
Micrantheum Desf. 165
Micraspis septemdecimpunctata (L.) 179
Microchiroptera 304
Microchrysa polita (L.) 181
Microlecane abyssinica (Sch. Bip.) Benth. ex Oliv. & Hiern 491-2
—— *carinata* auct. non Hutch. 482
—— —— Hutch. 491
—— *occidentalis* Hutch. & Dalziel 483
Middleditch, Brian S., & Amer,Amer M. Kuwaiti Plants. Studies in Plant Science 2 (Rev.) 627
Mikania Willd. 269
— *dusenii* B. Rob. 271
—— *jeffreyi* D.J.N. Hind *270, †271
—— *nelsonii* D.J.N. Hind †271, *272
—— *subverticillata* 271
virgata B. Rob. 271
Miltus africana Lour. 349
Mimas tiliae (L.) 178
Miridae 176
Mitrophora semilibera (DC.) Lév. 184
Molluginaceae 343-4
Mollusca 171
Monalocoris filicis (L.) 176
A Monograph of Aglaia (Meliaceae)- a Correction, C.M. Pannell 244
Monomorium pharaonis (L.) 180
Montia fontana 182
Moraceae 316
Moraea 158
Morchellaceae 184
Mucilago spongiosa (Leyss.) Morgan 184
Mucuna macropoda: Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea, H.C.F. Hopkins & M.J.G. Hopkins 297
Mucuna: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
Mucuna 297-8, 304
—— *acuminata* 31, 33, 34

Mucuna
Mucuna biplicata 33, 35
—— *bracteata* 35
—— *gigantea* (Willd.) DC. 29, 31, 32, 34
—— *gracilipes* 33
—— *hainanensis* 33, 35
—— *interrupta* 33, 35
—— *macrocarpa* 32, 34
— *macropoda* Bak. f. †297, 299, *300-1, *302, *303-4
—— *monosperma* 31, 33, 35
—— *oligoplax* Niyomdham & Wilmot-Dear †29, *30, 33, 34
—— *pruriens* var. *hirsuta* 33, 35
—— —— var. *pruriens* 34, 35
—— —— var. *utilis* 34, 35
—— *revoluta* 33, 35
—— *schlechteri* Harms 299
—— *stenoplax* 33, 35
—— *thailandica* 32
—— *warburgii* 32, 34
Muraltia 674
—— *heisteria* (L.) DC. 682
Mustelidae 170
Mycena aetites (Fr.) Quél. 184
Mycetozoa 184
Myrialepis 226
Myristicaceae 56
Myrsiphyllum: The status of Protasparagus and Myrsiphyllum in the Asparagaceae, S.T. Malcomber & Sebsebe Demissew 63
Myrsiphyllum (Willd.) Baker 63-7, 70-2
—— *alopecurum* Oberm. 63-6, 73
—— *fasciculatum* (Thunb.) Oberm. 67
krausianum Kunth 67
—— *ovatum* (Salter) Oberm. 67
—— *ramosissimum* (Baker) Oberm. 67, 71
—— *scandens* (Thunb.) Oberm. 67, 71
—— *undulatum* Schlecht. ex Kunth 67
—— *volubile* (Thunb.) Oberm. 67
Myrsophyllum alopecurum Oberm. 67
Myrtaceae: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand, P. Chantaranothai & J. Parnell 589
Myrtaceae 638
Myxomycetes 184

NE Turkey: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from from NE Turkey, W. Lobin, C.D. Brickell & A.P. Davis 161
Nagelocarpus Bullock 771
Nair, K. Narayanan: A nomenclatural change in Trichopus (Trichopodaceae) 127
Nannorrhops ritchiana (Griff.) (Aitch.) 224
Narcissus 147
Natrix n. natrix (L.) 170
Navarretia squarrosa (Eschsch.) Hook. & Arn. 182
Nelson, E. & Rourke, John P.: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K) 663
Nemophora degeerella (L.) 177
Nenga 232
—— *gadjah* 232

Neoceis
Neoceis Cass. 286
—— *carduifolia* Cass. 283, 286
Neodicyphus rhododendri (Dolling) 176
Neodypsis 230
Neomarica Sprague 151, 156-7, 159
Neophloga concinna Becc. 225
A new combination in Chamaecrista (Leguminosae-Caesalpiniodeae), J.M. Lock & H.E. Ireland 296
A new combination in Dilochia (Orchidaceae), S. Thomas 401
A new combination in Garcinia (Guttiferae), D.C. Zappi 410
A new combination in the genus Endostemon (Labiatae), O. Ryding 99
A new combination in Trichogonia (Compositae), D.J.N. Hind 411
A new Convolvulus (Convolvulaceaea) from Somalia, Sebsebe Demissew 381
New species and a new combination in Cyperaceae from Brazil. Notes on Brazilian Cyperaceae: VI, D.A. Simpson 699
New species in Brazilian Melastomataceae, Angela Borges Martins 385
A new species of Brachystelma (Asclepiadaceae) from India, S.R. Yadav, V.N. Patil, G.B. Dixit & N.P. Singh 59
A new species of Camptorrhiza (Colchicaceae) from India, S.R. Yadav & N.P. Singh 735
A new species of Doryopteris (Section Doryopteris-Pteridaceae) from Brazil, J. Prado 13
A new species of Justicia (Acanthaceae) from southern Mexico, Salvador Acosta C. & Thomas F. Daniel 119
A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
A new species of Palaquium Blanco (Sapotaceae) from Ceylon, B. Verdcourt 342
New species of Panopsis (Proteaceae) from South America, K.S. Edwards & G.T. Prance 637
New species of Stachys (Labiatae) from tropical Africa, Sebsebe Demissew 115
A new synonym and a range extension for Dipterocarpus alatus, Tem Smitinand, Paul B. Tompsett & Martin Cheek 397
New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand, P. Chantaranothai & J. Parnell 589
New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Nicandra physalodes (L.) Gaertn. 181
Nicotiana L. †322
—— *debneyi* Domin 322-3
—— *forsteri* Roem. & Schult. †322-3
—— *fruticosa* L. 323
—— *fruticosa* ? 322
—— *goodspeedii* Wheeler 323
—— *suaveolens* Lehm. 323
—— —— var. *parviflora* Benth. 323
—— *velutina* Wheeler 323
Nigella
Nigella damascena L. 181
Nilsson, Siwert, Praglowski, Joseph (Eds.) : Erdtman's Handbook of Palynology. 2nd edition (Rev.) 628
Nitidulidae 178
Nivenia 664
Noctua comes (Hb.) 178
Noctuidae 178
A nomenclatural change in Trichopus (Trichopodaceae), K. Narayanan Nair 127
Nonea lutea (Desr.) DC. 181
Norfolk Is.: Notes relating to the floras of Norfolk & Lord Howe Islands, IV, P.S. Green 307
Normanbya 231
Notes on Acanthaceae from Pico das Almas, Bahia, Brazil, Dieter C. Wasshausen 17
Notes on African Euphorbiaceae XXIX: Uapaca, A. Radcliffe-Smith 611
Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon, A. Radcliffe-Smith 165
Notes on Brazilian Orchidaceae II, A.L. Toscano de Brito & Carlyle A. Luer 326
Notes on Euphorbia subgen. Chamaesyce in Ethiopia, M.G. Gilbert 125
Notes on Fuerstia (Labiatae) in Tropical Africa, Alan Paton 129
Notes on the Compositae of Bahia, Brazil: I, D.J.N. Hind 245
Notes relating to the floras of Norfolk & Lord Howe Islands, IV, P.S. Green 307
Nothosaerva Wt. 168, 787, 793
—— *brachiata* (L.) Wight 791
Notonecta maculata Fabr. 176
Notonectidae 176
Nymphaea 180
Nymphalidae 177
Nypa 227-8, 237
—— *fruticans* 209, 237

Observations on the provisions for conserving and rejecting names, G. Perry & R.K. Brummitt 413
Ochna obtusata DC. 61
Ocimum 130, 136
Ocotea langsdorfii (Meissner) Mez 27
Odonata 173
Oldenlandia 391, 393
—— *corymbosa* 393
—— *puberula* R. Br. ex G. Don 393, 395
—— *umbellata* L. 391-3
—— *wightii* Hook.f. 391-3, 395
Olea europaea 56
Oleaceae 53, 56
Olearia Moench †311
—— *elliptica* DC. 311
—— —— subsp. *elliptica* 311
—— —— subsp. *praetermissa* P.S. Green 311
Oliver, E.G.H.: Studies in the Ericoideae (Ericaceae). X. Nomenclatural changes for the Flore des Mascareignes region 767
Oliver, E.G.H.: Studies in the Ericoideae (Ericaceae). XI. The generic relationship between Erica and Blaeria 771
Omegandra Leach & Townsend †787, 791, 793
Omegandra, a new genus of Amaranthaceae from Australia, G.J. Leach, C.C. Townsend & M.M. Harley 787

Omegandra
Omegandra kanisii Leach & Townsend †787, *788
Omocestus viridulus (L.) 173
Omphalina griseopallida (Desm.) Quél. 183
Oncocalamus 227, 236
—— *mannii* (H. Wendl.) H. Wendl. & Drude 224
Oncosperma 233
—— *horridum* Scheffer 225
Onopordum acanthium L. 182
Operophtera brumata (L.) 172
Orania 229
Oraniopsis 228
Orbigyna 234
Orchidaceae (sect. Pedilonum): Dendrobium (sect. Pedilonum) purpureum Roxb. (Orchidaceae) and its allies, E.A. Dauncey & P.J. Cribb 545
Orchidaceae: A new combination in Dilochia (Orchidaceae), S. Thomas 401
Orchidaceae: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Orchidaceae: Notes on Brazilian Orchidaceae II, A.L. Toscano de Brito & Carlyle A. Luer 326
Orchidaceae: Systematic leaf anatomy of Caladenia (Orchidaceae), Alec M. Pridgeon 533
Orchidaceae: Two new species of Habenaria sect. Podandria (Orchidaceae) from West Africa, I.F. la Croix 369
Orchidaceae 239, 246, 764
—— subtribe *Caladeniinae* 533
—— tribe *Diurideae* 533, 535
—— sect. *Leptoceras* 533
Orius vicinus Ribaut 176
Orobanchaceae 183
Orobanche minor Sm. 183
Orobus L. 746
—— *anomalus* Koch 749
—— *caucasicus* Spreng. 749
Orthetrum cancellatum (L.) 175
Orthoptera 172
Orthosiphon 129, 130, 136
—— subgen. *Nautochilus* 130
—— subgen. *Orthosiphon* 130
—— *cladotrichos* Gürke 136
—— *ellenbeckii* 99, 102
—— *fruticosus* Codd. 130
—— *hanningtonii* (Baker) Paton 129
—— *kelleri* 99, 102
—— *nigripunctatus* G. Tayl. 129, †130, *131-2
—— *tubiformis* R. Good 130
Orthotactus 122
Orthothylax 236
Orthotylus ochrotrichus Fieber 176
Osmia rufa (L.) 180
Osmitopsis asteriscoides (Bergius) Less. 682
Ostodes Blume 715-8
—— *integrifolia* Airy Shaw 718
—— *minor* (Thwaites) Muell. Arg. 715, 723
—— *paniculata* 715
—— *pendula* 716
—— *zeylanica* (Thw.) Muell. Arg. 715, 719
—— —— var. *minor* sensu Gamble 718
—— —— var. —— (Thwaites) Bedd. 715, 723

Otholobium
Otholobium virgatum (Burm.f.) Stirton 681
Otiorrhynchus porcatus (Herbst.) 180
Owen, Jennifer: Ecology of a garden. The first fifteen years. (Rev.) 630
Oxalis corymbosa DC. 181

Palandra aequatorialis 235
Palaquium: A new species of Palaquium Blanco (Sapotaceae) from Ceylon, B. Verdcourt 342
Palaquium 342
—— *grande* (Thw.) Engl. 342
—— *hinmolpedda* Van Royen 342
—— *zeylanicum* Verdc. †342
Palmae: The significance of new and recent work on pollen morphology in the Palmae, I.K. Ferguson & M.M. Harley 205
Palmae 205-6, 209, 227, 236, 238-9
—— subfam. *Arecoideae* 207, 225, 228, 235
—— subfam. *Calamoideae* 209, 224-236
—— subfam. *Ceroxyloideae* 224, 228, 237
—— subfam. *Coryphoideae* 207, 224-5, 237-8
—— subfam. *Nypoideae* 227
—— subfam. *Phytelephantoideae* 225, 235
—— subtribe *Thrinacinae* 208
—— subtribe *Ancistrophyllinae* 209, 224, 236
—— subtribe *Archontophoenicinae* 225, 230
—— subtribe *Arecinae* 225, 231, 232, 238
—— subtribe *Attaleinae* 234, 238
—— subtribe *Bactridinae* 225, 233-4, 238
—— subtribe *Beccariophoenicinae* 233
—— subtribe *Butiinae* 233
—— subtribe *Calaminae* 224-6
—— subtribe *Coryphineae* 235
—— subtribe *Cyrtostachydinae* 231
—— subtribe *Dypsidinae* 225, 230, 237
—— subtribe *Elaeidinae* 234
—— subtribe *Eugeissoninae* 210, 224
—— subtribe *Hyphaeninae* 224
—— subtribe *Iguanurinae* 225, 232, 238-9
—— subtribe *Iriarteinae* 229, 237
—— subtribe *Leopoldiniinae* 230
—— subtribe *Linospadicinae* 231
—— subtribe *Livistoninae* 208, 224
—— subtribe *Malortieinae* 230
—— subtribe *Manicariinae* 230
—— subtribe *Metroxylinae* 210, 224, 236
—— subtribe *Oncocalaminae* 224, 227
—— subtribe *Oncospermatinae* 225, 233, 238
—— subtribe *Oraniinae* 229
—— subtribe *Pigafettinae* 226
—— subtribe *Plectocomiinae* 226
—— subtribe *Ptychospermatinae* 225, 231
—— subtribe *Raphiinae* 224, 227
—— subtribe *Sclerospermatinae* 233
—— subtribe *Thrinacinae* 208
—— subtribe *Wettiniinae* 229, 237
—— tribe *Areceae* 225, 229
—— tribe *Borasseae* 209, 224, 236
—— tribe *Calameae* 209, 224, 236
—— tribe *Caryoteae* 228-9, 237
—— tribe *Ceroxyleae* 228
—— tribe *Cocoeae* 225, 233, 238
—— tribe *Corypheae* 207, 209, 224
—— tribe *Cyclospatheae* 228
—— tribe *Geonomeae* 235, 238
—— tribe *Hyophorbeae* 224, 228
—— tribe *Iriarteeae* 229, 237
—— tribe *Lepidocaryeae* 224, 227, 229, 237

Palmae

Palmae tribe *Phoeniceae* 209
—— tribe *Podococceae* 229
Pannell, C.M.: A Monograph of Aglaia (Meliaceae)- a Correction 244
Panopsis: New species of Panopsis (Proteaceae) from South America, K.S. Edwards & G.T. Prance 637
Panopsis 637-8, 642-3
—— *cinnamomea* Pittier 646
—— *costaricensis* Standl. 637, 645, 652, 655, 661
—— *cuaensis* Steyerm. 637
—— *ferruginea* (Meisn.) Pittier 638, 646
—— *macrocarpa* K.S. Edwards & R.T. Penn. 645, †658, *659, 661
—— *metcalfii* Killip & Cuatrec. 637, 646, 656, 658
—— *mucronata* Cuatrec. 637, 645, 652, 655
—— *multiflora* (Schott) Ducke 637-8, 640, 647
—— *ornatinervia* Steyerm. 637, 646-7
—— *parimensis* Steyerm. 637
—— *pearcei* Rusby 637-8, 647
—— *perijensis* Steyerm. ex K.S. Edwards 645, 650, †652, *654-6, 658
—— *polystachya* (H.B.K.) Kuntze 638, 647
—— *ptariana* Steyerm. 646
—— *rectistyla* K.S. Edwards 645, †650, *651-2, 655-6
—— *rubescens* (Pohl) Pittier 637
—— (Pohl) Rusby 637, 647
—— *rubra* Killip & Cuatrec. 637
—— *sessilifolia* (Rich.) Sandwith 643-5, 647-8, 650
—— *suaveolens* (Klotzsch & H. Karst.) Pittier 644, 650, 652, 655
—— *sulcata* K.S. Edwards 646, †656, *657, 661
—— *tepuiana* Steyerm. 643, 646
—— *yolombo* (Posada-Arango) Killip 637, 645
—— *yungasensis* K.S. Edwards & R.T. Penn. 644, †647-8, *649, 650
—— sp. aff. *perijensis* 655
—— sp. aff. *sulcata* 658
Papaver argemone L. 182
—— *somniferum* L. 181
Papua New Guinea: Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea, H.C.F. Hopkins & M.J.G. Hopkins 297
Papuasia: The synonymy of Anodendron paniculatum (Apocynaceae) with notes on distribution and ethnobotany in Papuasia, Paul I. Forster 139
Paracroton: The genus Paracroton (Euphorbiaceae) in the Indian subcontinent, N.P. Balakrishnan & T. Chakrabarty 715
Paracroton Miq. 715-6, 718
—— *integrifolius* (Airy Shaw) Balakr. & Chakrab. 716, †718, *720
—— *pendulus* (Hassk.) Miq. 715-8, 723
—— — subsp. *pendulus* 716, 723
—— subsp. *zeylanicus* (Thw.) Balakr. & T. Chakrab. 716-8, *722
—— *zeylanicus* 716, 718, †723, *724
Paranomus Knight 664
Pararge aegeria tireis (Butler) 178
Parasyringa 53, 56
Parentucellia viscosa (L.) Caruel 182

Parietaria

Parietaria 408
Parietaria sonneratii Poir. 408
Parnell, J. & Chantaranothai, P.: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand 589
Pasquet, R.S.: Two new subspecies of Vigna unguiculata (L.) Walp. (Leguminosae: Papilionoideae) 805
Passerina 672
Patersonia 159
Patil, V.N., Yadav, S.R., Dixit, G.B. & Singh, N.P.: A new species of Brachystelma (Asclepiadaceae) from India 59
Paton, Alan: Notes on Fuerstia (Labiatae) in Tropical Africa 129
Pedilonum 560
—— *glossotis* (Rchb.f.) Rauschert 557
? *Pedilonum mimiense* (Schltr.) Brieger 570
—— *miniense* 570
—— *reinwardtii* (Lindl.) Rauschert 552
Pegler, D.N. & Young, T.W.K.: Basidiome structure in Lachnocladiales sensu lato 37
Pelagodoxa 232
Pelargonium dipetalum L'Hér. 664
—— *nivenii* Harvey 664
Peniophoraceae 46
Pentacalia Cass. 280, 286
—— *desiderabilis* (Vell.) Cuatrec. 286, 289
—— *tropicalis* (Cabrera) C. Jeffrey 286, 294
Pentaglottis sempervirens (L.) Tausch ex L.H. Bailey 183
Pentisia 534
Peristylus 764
Perry, G. & Brummitt, R.K.: Observations on the provisions for conserving and rejecting names 413
Persea glabra, a new species of Lauraceae from Bahia, Henk van der Werff 25
Persea 27
—— *alba* Nees 27
—— *glabra* van der Werff †25, *26, 27
—— *venosa* Nees 27
Persicaria (L.) P. Miller 764
—— *minor* (Hudson) Opiz †764
Peters, C.R., O'Brien, E.M. & Drummond, R.B.: Edible wild plants of sub-Saharan Africa (Rev.) 820
Petrorhagia nanteulii (Burnat) P.W. Ball & Heywood 182
Peucedanum linderi C. Norman 306
Phaenocoma prolifera (L.) D. Don 682
Phalaris minor Retz. 182
Phaneropteridae 172
Pharnaceum occultum Forsskål 347
Phellinus Quél. 44
Phenax sonneratii: The distribution of Phenax sonneratii and the identity of Pouzolzia conulifera (Urticaceae), I. Friis 407
Phenax 407-8
—— *madagascariensis* 408
—— *sonneratii* (Poir.) Wendl. 407, †408
A phenetic analysis of Vicia section Atossa series Truncatulae (Leguminosae: Vicieae), N. Maxted 739
Philippia Klotzsch 767, 771-2, 775-7
—— *abietina* (Willd.) Klotzsch 767
—— *arborescens* (Willd.) Klotzsch 768
—— *benguelensis* (Welw. ex Engl.) Britten 776
—— *brachyphylla* Benth. 769
—— *excelsa* Alm & Fries 776

Philippia
Philippia galioides Lam. 768
—— *gracilis* (Benth.) H. Perrier 776-7
—— *hexandra* S. Moore 776
—— *humbertii* H. Perrier 777
—— *intricata* Cordem. 768
—— *johnstonii* Engl. 776
—— *madagascariensis* H. Perrier 777
—— *mannii* (Hook.f.) Alm & Fries 776
—— *montana* (Willd.) Klotzsch 768
—— *multiglandulosa* Willd. ex Klotzsch 768
—— *nyassana* Alm & Fries 776
—— *pilosa* Baker 777
—— *ramosissima* Benth. 768
—— *scyphostigma* Cordem. 768
—— *viscosa* Benth. 768
Phleum pratense L. subsp. *bertolonii* (DC.) Bornm. 182
Phloga 230
—— *nodifera* (Mart.) Noronha ex Salomon 230
—— *nodiflora* 230
—— *schefferiana* Becc. 230
Phlogophora meticulosa (L.) 178
Phoenicophorium 233
Phoenix 236
Pholidoptera griseoaptera (De Geer) 172
Pholiota squarrosa (Müll. ex Fr.) Kummer 184
Phygelius 180
Phylica 672, 674
—— *arborea* Thouars 85
Phyllonorycter platani (Staud.) 177
Phyllostomidae 304
Phytelephas 235
—— *aequatorialis* Spruce 225, 235
Phytolacca 344
—— *americana* L. 181
Phytolaccaceae 343-4
Pico das Almas: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Pico das Almas: Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil, Maria Mercedes Arbo 9
Pieridae 177
Pigafetta filaris 226
Pimenov, M.G.: The identity of Himalayan 'Seseli sibiricum' (Umbelliferae) 781
Pinanga 231-2, 238-9
—— *cleistantha* 233
—— *lumuensis* 231
—— *variegata* 233
Pinus merkusii Jungh. & De Vriese 398
Piper excelsum Forst.f. var. *major* Cheeseman 319
—— —— var. *psittacorum* (Endl.) C. DC. 318
—— *psittacorum* Endl. 319
Piperaceae 316
Pipistrellus pipistrellus (Schreb.) 170
Piriqueta: Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil, Maria Mercedes Arbo 9
Piriqueta 10
—— *assuruensis* Urban 10
—— *constellata* Arbo †9, 10
—— *flammea* (Suessenguth) Arbo 10, 11
—— *sarae* Arbo †10, 11
Pleurothallis R. Br. 326
Plagiacanthus 122
Plagiodera versicolora (Laich.) 180

Platanus
Platanus × *hybrida* Brot. 182
Plectocomia 226
Plectocomiopsis 226
—— *geminaeflora* 226
Plectranthus 130, 764
—— *bishopianus* Gamble 764
—— *deccanicus* Briq. †764
—— *fruticosus* (Benth.) Wight ex Hook.f. 764
Plectronia 672
—— *didyma* (Gaertn.) Kurz 761
—— —— var. *umbellata* (Wight) Gamble 762
Pleurothallidinae 326
Pleurothallis mathildae Brade 326
Poa trivialis L. 182
Podianthus arifolius Schnitzlein 127
Podococcus 237
Poellnitzia Uitewaal 105, 111
Pogonotium 226, 237
—— *ursinum* (Becc.) J. Dransf. 224, 226
Poikilacanthus bahiensis (Nees) Wassh. †17
—— *harleyi* Wasshausen †17, *18, *19
Polemoniaceae 183
Pollen: The significance of new and recent work on pollen morphology in the Palmae, I.K. Ferguson & M.M. Harley 205
Polygala bracteolata L. 682
Polygonaceae 183, 764
Ponsonby, Laura *Reviewer*: Edible fruits and nuts. PROSEA (Plant Resources of South-East Asia), by E.W.M. Verheij & R.E. Coronel (Eds.) 195
Portulacaceae 182, 343
Pouzolzia conulifera: The distribution of Phenax sonneratii and the identity of Pouzolzia conulifera (Urticaceae), I. Friis 407
Pouzolzia 407
—— *conulifera* Friis & Jellis 407-8
—— *perrieri* 408
—— *sonneratii* 408
Prado, J.: A new species of Doryopteris (Section Doryopteris-Pteridaceae) from Brazil 13
Prance, Ghillean T. *Reviewer*: Phytogeography and vegetation ecology of Cuba, by A. Borhidi 620
Prance, G.T. & Edwards, K.S.: New species of Panopsis (Proteaceae) from South America 637
Precursory notes for a Flora of the Palni Hills, South India: II, K.M. Matthew 757
Prestinaria bidentoides Sch. Bip. 485
—— *monticola* Hook.f. 459
Pridgeon, Alec M.: Systematic leaf anatomy of Caladenia (Orchidaceae) 533
Priestleya 682
Printzia polifolia (L.) Hutch: 682
Pritchardia 208
—— *pacifica* Seem. & H. Wendl. ex H. Wendl. 224
—— *rockiana* Beck. 224
Propylea quatuordecimpunctata (L.) 179
Protasparagus: The status of Protasparagus and Myrsiphyllum in the Asparagaceae, S.T. Malcomber & Sebsebe Demissew 63
Protasparagus 63, 64, 66, 68, 70-2
—— *aethiopicus* (L.) Oberm. 68
—— *africanus* (Lam.) Oberm. 68
—— *angusticladus* (Jessop) Oberm. 68
—— *aspergillus* (Jessop) Oberm. 68
—— *buchananii* (Baker) Oberm. 68

Protasparagus
Protasparagus capensis (L.) Oberm. 68
—— *cooperi* (Baker) Oberm. 68, 72
—— *crassicladus* (Jessop) Oberm. 68
—— *densiflorus* (Kunth) Oberm. 68
—— *denudatus* (Kunth) Oberm. 68
—— *exuvialis* (Burch.) Oberm. 68
—— *falcatus* (L.) Oberm. 68, 70
—— *glaucus* (Kies) Oberm. 68
—— *humilis* (Engl.) B. Mathew 68
—— *krebsianus* (Kunth) Oberm. 68
—— *laricinus* (Burch.) Oberm. 68
—— *longicladus* (N.E. Brown) B. Mathew 68
—— *macowanii* (Baker) Oberm. 68
—— *minutiflorus* (Kunth) Oberm. 68
—— *nelsii* (Schinz) Oberm. 68
—— *oxycanthus* (Baker) Oberm. 68
—— *racemosus* (Willd.) Oberm. 68
—— *retrofractus* (L.) Oberm. 68
—— *rigidus* (Jessop) Oberm. 68
—— *rubicundus* (Berg.) Oberm. 68
—— *schroderi* (Engl.) Oberm. 68
—— *stipulaceus* (Lam.) Oberm. 68
—— *subulatus* (Thunb.) Oberm. 68
—— *virgatus* (Baker) Oberm. 68
Protea 672, 674
—— *alpina* Knight 668
—— *eximia* (Knight) Fourcade 668
—— *laevis* 668
—— *nivenii* (R. Br.) Poir. 664
—— *tenax* (Salisb.) R. Br. 668
Proteaceae: New species of Panopsis (Proteaceae) from South America, K.S. Edwards & G.T. Prance 637
Proteaceae 664
—— subfam. *Grevilleoideae* 638, 643-4
—— tribe *Proteae* 676
Prunus cerasifera 171
Psallus ambiguus (Fallén) 176
Pseudotrimezia 151, 159
Pseudanthinae Muell. 165
Pseudanthus: Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon, A. Radcliffe-Smith 165
Pseudanthus Sieb. ex Spreng. 165-8
—— *axillaris* (A.S. George) A. Radcl.-Sm. †167
—— *micranthus* Benth. 166
—— *pimeleoides* Sieb. ex Spreng. 166
—— *tasmanicus* Rodway 168
—— *virgatus* (Klotzsch) Muell. Arg. 166
Pseudemys scripta elegans (Wied.) 170
Pseuderanthemum Radlk. †307-8
—— *grandiflorum* (Benth.) Domin 308
—— *pelagicum* (Seem.) P.S. Green †308-9
Pseuderantherum variabile (R. Br.) Radlk. ex Lindau 308
Pseudognaphalium Kirp. 256
Pseudogynoxys 280, 286
—— *benthamii* sensu Cabrera 286
—— *cabrerae* H. Rob. & Cuatrec. 286-7
—— *pellucidinervis* (Sch. Bip. ex Baker) Leitão Filho 282, 286
—— *pohlii* (Sch. Bip. ex Baker) Leitão Filho 286, 293
Pseudopeziza barretoi 156
—— *cipoana* 156
Pseudophoenix 228
Pseudotrimezia R.C. Foster 151-2, 156, 158-9
—— *aphylla* Ravenna 152, 156
—— *barretoi* R.C. Foster 152-3, 156
Pseudotrimezia
Pseudotrimezia cipoana 152
—— *planifolia* Ravenna 152-3, 156
—— *recurvata* Ravenna 152, 156, 158-9
—— *synandra* 156
—— sp. 152
—— sp. nov. 152
Pseudovicilla Maxted 739
Psilocybe cyanescens Wakefield 184
Psocoptera 173
Psophocarpus 179
Psoralea aphylla L. 682
Psydrax Gaertn. 760-1
—— *dicoccos* Gaertn. 761
—— *ficiformis* (Hook.f.) Bridson 761, †762
—— *umbellata* (Wight) Bridson 761, †762
Psyllidae 177
Psyllobora vigintiduopunctata (L.) 179
Pteronia camphorata (L.) L. 682
—— *incana* (Burm.) DC. 682
Pteropodidae 301
Ptilotus 787, 791, 793
—— *aervoides* (F. Muell.) F. Muell. 793
—— *parviflorus* (Lindley) F. Muell. 793
Ptinidae 179
Ptinus fur (L.) 179
Pyralidae 177
Pyrrhosoma nymphula (Sulz.) 173

Quercus ilex L. 181
—— *robur* L. 182

Radcliffe-Smith, A.: Notes on African Euphorbiaceae XXIX: Uapaca 611
Radcliffe-Smith, A.: Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon 165
Radcliffe-Smith, A. *Reviewer*: Palms for human needs in Asia. Palm utilization and conservation in India, by D. Johnson 625
Radcliffe-Smith, A. *Reviewer*: Excursion Flora of Central Tamilnadu, India, by K.M. Matthew 627
Rafnia amplexicaulis Thunb. 682
—— *lancea* DC. 681
Raglius alboacuminatus (Goeze) 175
Raphanus 56
—— *raphanistrum* L. 182
Raphia 227, 236
—— *matombe* Willd. 224, 227
—— *regalis* 227
—— *taedigera* 227
Ravenea 227, 237
A reconsideration of Gypsophila series Desertícolae Barkoudah (Caryophyllaceae) including G. capillaris (Forssk.) C. Chr., Sue Zmarzty 683
Rediscovery of Mucuna macropoda (Leguminosae: Papilionoideae), and its pollination by bats in Papua New Guinea, H.C.F. Hopkins & M.J.G. Hopkins 297
Reediella endlicheriana (C. Presl) Pic. Serm. 618
Rejecting names: Observations on the provisions for conserving and rejecting names, G. Perry & R.K. Brummitt 413
Reptilia 170
Restionales 236
Retispatha 226
A review of Gisekia (Gisekiaceae), M.G. Gilbert 343

Rheedia

Rheedia 410
—— *gardneriana* Planchon & Triana 410
Rhododendron 175-6
Rhopalostylis 230
—— *sapida* H. Wendl. & Drude 225
Robinia pseudacacia L. 181
Rokejeka capillaris 683, 693
Roridula 672
Roscheria 233
Roscoea: Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae), Jon P. West & Jill Cowley 799
Roscoea J.E. Smith 799
—— *cautleoides* Gagnep. 800
—— *debilis* Gagnep. 801
—— —— var. *debilis* 800
—— *procera* Wall. 799
—— *purpurea* Sm. 799, 801
—— *schneideriana* (Loes.) Cowley 800-1
—— *tibetica* Batalin 800
Rosenia humilis (Less.) Bremer 682
Rourke, John P. & Nelson, Charles E.: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K) 663
Roux, J.P.: The genus Asplenium L. (Aspleniaceae: Pteridophyta) in the Tristan-Gough Island group 79
Royal Botanic Gardens, Kew: Additions to the Wild Fauna And Flora of the Royal Botanic Gardens, Kew, B. Verdcourt (Ed.) 169
Royal Botanic Gardens, Kew: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K), E. Charles Nelson & John P. Rourke 663
Roystoneinae 230
Rubiaceae: The identity of Diodia angolensis S. Moore (Rubiaceae), C.D. Adams & B. Verdcourt 278
Rubiaceae: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae), V.V. Sivarajan, S.D. Biju & Philip Mathew 391
Rubiaceae 320, 369, 760
Rudall, Paula: Leaf anatomy and systematics of Mariceae (Iridaceae) 151
Rudall, Paula: Anatomy of flowering plants. An introduction to structure and development. Second Edition. (Rev.) 632
Ruellia goyazensis Lindau 17
—— *nitens* (Nees) Wassh. †17
Rumex 180
—— *patientia* L. 183
Ruscaceae 64
Ruscus 63, 64
Russulaceae 46
Rutaceae 322, 664
Ryding, O.: A new combination in the genus Endostemon (Labiatae) 99

Salacca 226-8
Salamandridae 171
Salaxis abietina Willd. 767

Salaxis

Salaxis arborescens auct. non Willd. 768
—— —— Willd. 768
—— *imbricata* Willd. 767
—— *montana* Willd. 768
Salix reinii Franch. & Sav. 180
Sambucus nigra L. 179, 181
Sapotaceae: A new species of Palaquium Blanco (Sapotaceae) from Ceylon, B. Verdcourt 342
Sapotaceae 342
Sargus bipunctatus (Scop.) 181
Satyridae 178
Satyrium: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Satyrium afromontanum la Croix & Cribb †361, *363
—— *comptum* Summerh. 361, 363
—— *flavum* la Croix †364, *365
—— *parviflorum* Sw. 364
Scaevola L. †316
—— *taccada* (Gaertn.) Roxb. 316
Scarabaeidae 179
Schizochilus: New taxa in Habenaria, Satyrium & Schizochilus (Orchidaceae) from the Flora Zambesiaca area, I.F. la Croix & P.J. Cribb 357
Schizochilus 367
—— *calcaratus* Cribb & la Croix †364, *366
—— *sulphureus* 364
Schizostachydinae 524
Schizostachyum Nees 524
Schrire, B.D., Du Puy, D.J. & Labat, J.-N.: The separation of two previously confused species in the Indigofera spicata complex (Leguminosae: Papilionoideae) 727
Schrire, B.D. *Reviewer*: Flora of Ethiopia. Vol. 3. Pittosporaceae to Araliaceae, by Inga Hedberg & Sue Edwards (Eds.) 624
Schuster, Rudolf M.: Hepaticae and Anthocerotae of North America East of the Hundredth Meridian. 5 Jubulaceae to Sphaerocarpales. 6 Marchantiales and Anthocerotae (Rev.) 632
Scilla bithynica Boiss. 183
Scleria Berg. †709
—— *atroglumis* D.A. Simpson †709, 711, *712
—— *bracteata* 709, 711
Sclerosperma 233, 238
—— *mannii* 238
Scottish botanical collector: James Niven (1776-1827), A Scottish botanical collector at the Cape of Good Hope. His hortus siccus at the National Botanic Gardens, Glasnevin, Dublin (DBN), and the Royal Botanic Gardens, Kew (K), E. Charles Nelson & John P. Rourke 663
Scyphogyne Decne. 771
Scytinopogon praestans (Jacks.) Donk 48
Scytinosperma galactinum (Fr.) Donk 42
Scytinostroma Donk 37, 38, 41, 42, 44, 48, 50, 51
—— *portentosum* (Berk. & Curtis) Donk 39, 41
—— *praestans* 42
Scytinostromella Parm. 42
Scytodes thoracica Latr. 172
Scytodidae 172
Sebsebe Demissew: A confusion in Lippia (Verbenaceae) in tropical Africa 375

Sebsebe Demissew

Sebsebe Demissew: The genus Stachys (Labiatae) in Ethiopia and Somalia 327
Sebsebe Demissew: A new Convolvulus (Convolvulaceae) from Somalia 381
Sebsebe Demissew: New species of Stachys (Labiatae) from tropical Africa 115
Sebsebe Demissew & Malcomber, S.T.: The status of Protasparagus and Myrsiphyllum in the Asparagaceae 63
Segerbäck, L.B.: Orchids of Malaya (Rev.) 429
Semele 63, 64
Senecio L. 279-81, 283, 286, 289, 292
—— sect. *Adamantina* 288, 290, 293-4
—— sect. *Brachypappus* 290
—— sect. *Cacaliastrum* 287, 290-1, 293, 295
—— sect. *Corymbosi* 287-94
—— sect. *Dendrophorbium* Cuatrec. 281
—— sect. *Dichroa* Cabrera 285
—— sect. *Dumetorum* 289
—— sect. *Haplostichia* 294
—— sect. *Hualtatini* 287, 289-93
—— sect. *Jacobaea* 290
—— sect. *Macbrideus* Cuatrec. 281
—— sect. *Paranaia* 288, 290, 292
—— sect. *Pluricephali* Cabrera 281, 294
—— sect. *Senecio* 293
—— sect. *Suffrutecius* 288, 292
—— sect. *Xerosenecio* 294
—— *adamantinus* Bong. 286, 288, 294
—— —— sect. *Adamantina* 286
—— —— var. *adamantinus* 286
—— —— var. *integrifolius* Baker 287
—— *agrestis* Sweet 295
—— *albiflorus* Sch. Bip. 284
—— *almasensis* Mattf. 287
—— *amabilis* Vell. 287
—— *andryaloides* DC. 287-8
—— *arctiifolius* Baker 287
—— *argentinus* Baker 287, 294
—— *argyrotrichus* Dusén 285, 287
—— *auritifolius* Cabrera 287
—— *auritus* Wawra 287
—— *axillaris* Vell. 287, 295
—— *benthamii* sensu Baker 286-7
—— *bonariensis* Hook. & Arn. 287, 294
—— —— × *icoglossoides* Mattf. 292
—— *brachycodon* Baker 281, 287
—— *bradei* Cabrera 281, 287
—— *brasiliensis* (Spreng.) Less. 280-1, 287, 295
—— —— Meyen & Walp. 295
—— —— var. *tripartitus* (DC.) Baker 287-8, 292
—— *cacaliastrum* 294
—— *cacalioides* Fisch. ex Spreng. 283, 287
—— *camporum* Gardner 286, 288
—— *cannabinaefolius* Hook. & Arn. 288
—— *cannabinifolius* Hook. & Arn. 287
—— *caparaoensis* Cabrera 288
—— *carduifolius* (Cass.) Desf. 283, 288
—— *catharinensis* Dusén ex Cabrera 281, 288
—— *ceratophylloides* Griseb. 288-9
—— —— var. *major* G. Don ex Hook. & Arn. 288
—— *ceratophyllus* G. Don ex Hook. & Arn. 288
—— —— var. *macrodon* (Baker) Malme 288
—— —— var. *major* G. Don ex Hook. & Arn. 288

Senecio

Senecio chilensis Less. var. *ceratophyllus* (G. Don ex Hook. & Arn.) Baker 288
—— —— var. *macrodon* Baker 288
—— *cisplatinus* Cabrera 288
—— *claussenii* Decne. 288
—— *culcitium* Remy 289
—— *colpodes* Bong. 288
—— *conyzifolius* Baker 288
—— *crassiflorus* (Poir.) DC. 281, 287-9
—— —— var. *andryaloides* (DC.) Arechev. 288-9
—— —— var. *crassiflorus* 287-9
—— —— var. *maritimus* (Malme) Cabrera 289
—— —— var. *subceratophyllus* Cabrera 289
—— —— var. *tricuspis* Baker 289
—— —— f. *maritima* Malme 289
—— *crassus* Vell. 284, 289
—— *culcitium* Remy 289
—— *cuneifolius* Gardner 285, 289
—— *cuspidatus* DC. 288-9, 292
—— —— var. *ceratophylloides* (Griseb.) Kuntze 288-9
—— —— var. *ceratophyllus* (G. Don ex Hook. & Arn.) Kuntze 289
—— —— var. *montevidensis* (Spreng.) Kuntze 289, 292
—— *desiderabilis* Vell. 286, 289
—— *dichrous* (Bong.) Sch. Bip. 285, 289
—— *doroniciflorus* Hook. & Arn. 294
—— *dumetorum* Gardner 280, 289
—— *ellipticus* DC. 286, 289
—— *emilioides* Baker 289
—— *emiliopsis* C. Jeffrey 289
—— *erisithalifolius* Sch. Bip. ex Baker 289
—— *erythropappus* Meyen & Walp. 295
—— *fastigiaticephalus* Cabrera 281, 289
—— *fischeri* Sch. Bip. 283, 289
—— *fluminensis* Steud. 289, 294
—— *fruticosus* Vell. 282, 289
—— *gertii* 280, 289
—— —— sect. *Tomentecio* 289
—— *glaziovii* Baker 282, 289
—— *goyazensis* Gardner 283, 290
—— *graciellae* Cabrera 290
—— *grandis* Gardner 290
—— *grisebachii* Baker 290
—— —— var. *anomalus* Cabrera 290
—— —— var. *grisebachii* 290
—— —— var. *leptotus* Cabrera 290
—— —— var. *pseudovernonioides* Cabrera 290
—— *grossidens* Dusén ex Malme 290
—— *gynoxoides* Baker 290
—— *hastatus* Bong. 290, 292
—— *hatschbachii* Cabrera 290
—— *hemmendorffii* Malme 290
—— *heteroschizus* Baker 290
—— *heterotrichius* DC. 290, 292
—— *hieraciifolius* L. 283, 290
—— *hoehnei* Cabrera 290
—— *homogynoides* Klatt 290
—— *icoglossus* DC. 291
—— —— var. *arenosus* DC. 291, 293
—— —— var. *gigantophyllus* Cabrera 291
—— —— var. *icoglossus* 291
—— —— var. *montanus* Dusén 291
? *Senecio icoglossus* var. *montanus* Dusén 293
—— —— var. *splendens* Cabrera 291
—— *imbricatus* Gardner 286, 291
—— *itatiaiae* Dusén 285, 291

Senecio
Senecio juergensii Mattf. 291
—— *kuhlmanii* Cabrera 291
—— *lactucoides* Klatt 284
—— *langei* Malme 291
—— *lanifer* Mart. ex C. Jeffrey 291, 294
—— *leptolobus* 281, 291, 293-4
—— *leptoschizus* Bong. 291
—— —— var. *leptocadus* Baker 291
—— —— var. *leptoschizus* 291
—— *limosus* Dusén ex Malme 282, 291
—— *linearilobus* Bong. 291
—— *macrotis* Baker 291
—— *malacophyllus* Dusén 291
—— *maldonadensis* Baker 290, 292
—— *mattfeldianus* Cabrera 292
—— *megapotamicus* Buek 287, 292
—— *melloi* Cabrera 292, 294
—— *missionum* Cabrera 282, 292
—— *montevidensis* (Spreng.) Baker 281, 289, 292
—— —— auct. non. (Spreng.) Baker 292, 294
—— *myriocephalus* Baker 282, 292
—— *nemoralis* Dusén 292
—— *ochroleucus* var. 287
—— *oleosus* 290
—— *oligophyllus* Baker 292
—— *oreophilus* Dusén 285, 292
—— *organensis* Casar. 285, 292
—— *oxyphyllus* DC. 292
—— —— var. *amblotis* DC. 292
—— —— var. *oxyphyllus* 292
—— *pallidus* Vell. 292
—— *paludicola* Steud. 284, 292
—— *palustris* Vell. 284, 292
—— *paranensis* Malme 292
—— *paucijugus* Baker 292
—— *paulensis* Bong. 293
—— *pellucidinervis* Sch. Bip. ex Baker 282, 293
—— *peregrinus* Griseb. 282, 293
—— *pinnatus* 281, 293
—— —— var. *achalensis* Griseb. 293-4
—— —— var. *leptolobus* (DC.) Baker 291, 293
—— —— var. *pinnatus* 293
—— *platensis* Arechav. 293
—— *pluricephalus* Cabrera 282, 293
—— *pohlii* 280, 286, 293
—— *pseudopohlii* Cabrera 293
—— *pseudostigophlebius* Cabrera 293
—— *pulcher* Hook. & Arn. 291, 293
—— *pulicarioides* Baker 293
—— —— var. *auriculatus* Baker 293
—— —— var. *pulicarioides* 293
—— *ramboanus* Cabrera 293
—— *ramentaceus* Baker 293
—— *regis* H. Rob. 293
—— *reitzianus* Cabrera 294
—— *rhodaster* Baker 287, 294
—— *rossianus* Mattf. 294
—— *sagittarioides* Speg. 287
—— *sagittifolius* Arechav. 292
Baker 287
—— *selloi* 281, 294
—— *sericeus* var. *pinnatifidus* Kuntze 294
—— *sessilis* Vell. 286, 294
—— *squalidus* L. 181
—— *stigophlebius* Baker 294
—— *stipulatus* Vell. 289, 294
—— *subarnicoides* Cabrera 294

Senecio
Senecio subnemoralis Dusén 292, 294
—— *toledoi* Cabrera 285, 294
—— *trichocaulon* Baker 294
—— *trichocodon* Baker 294
—— —— var. *trichocaulon* (Baker) Cabrera 294
—— *tripartitus* DC. 287
—— *trixoides* Gardner 286, 294
—— *tropicalis* Cabrera 286, 294
—— *uruguayensis* Cabrera 291, 294
—— *valerianifolius* Wolf 285, 294
—— *vernonioides* Sch. Bip. ex Baker 291, 294
—— *viravira* Hieron. 287, 292-4
—— *vulgaris* L. 294
—— —— subsp. *denticulatus* (O.F. Müll.) P.D. Sell 182
—— *westermanii* Dusén 295
—— var. *brasiliensis* 287
Senecioneae: A Checklist of the Brazilian Senecioneae (Compositae), D.J.N. Hind 279
Senna Miller 760
The separation of two previously confused species in the Indigofera spicata complex (Leguminosae: Papilionoideae), D.J. Du Puy, J.-N. Labat & B.D. Schrire 727
Serruria brownii Meisn. 667
—— *ciliata* R. Br. 667
—— *fucifolia* Knight 666
—— *nivenii* R. Br. 664
—— *pedunculata* (Lam.) R. Br. 667
—— *phylicoides* (Berg) R. Br. 668
—— *roxburghii* 677
—— *trilopha* Salisb. ex Knight 667
Seseli 782-3
—— sect. *Libanotis* (Haller ex Zinn) Gren. & Godr. 782
—— *buchtormense* (Fisch. ex Spreng.) Koch 783
—— *cyclolobum* (Gilli) Pimenov & Sdobnina 782-3
—— *diffusum* 782
—— *indicum* 782
—— *libanotis* 781-3
—— —— auct. non Koch 783
'*Seseli libanotis*' 782
—— *schrenkianum* (C.A. Mey. ex Schischk.) Pimenov & Sdobnina 782
—— *sibiricum* 781-3
—— —— (L.) Benth. ex C.B. Clarke 783
—— —— (L.) Boiss. 781
—— —— auct. non Garcke 783
—— —— Garcke 781
'Seseli sibiricum': The identity of Himalayan 'Seseli sibiricum' (Umbelliferae), M.G. Pimenov 781
'*Seseli sibiricum* Benth.' 781-2
Sesia bembeciformis Hb. 177
Sesiidae 177
Sida zahlbruckneri 308
Sigara concinna (Fieber) 176
—— *distincta* (Fieber) 176
—— *dorsalis* (Leach) 176
—— *falleni* (Fieber) 176
—— *lateralis* (Leach) 176
The significance of new and recent work on pollen morphology in the Palmae, I.K. Ferguson & M.M. Harley 205
Silene coeli-rosea (L.) Godron 182
—— *colorata* Poir. 182

Silene
Silene gallica L. 182
—— —— var. *quinquevulnera* (L.) Koch 182
—— *noctiflora* L. 182
Silybum marianum (L.) Gaertn. 182
Simocephalus vetulus (O.F. Müll.) †171
Simocheilus Klotzsch 771, 778
Simonisia 122
Simpson, D.A.: New species and a new combination in Cyperaceae from Brazil. Notes on Brazilian Cyperaceae: VI 699
Simpson, D.A. *Reviewer:* The concise Oxford dictionary of botany, by Michael Allaby (Ed.) 619
Sinapis alba L. 182
Singh, N.P., Yadav, S.R., Patil, V.N. & Dixit, G.B.: A new species of Brachystelma (Asclepiadaceae) from India 59
Singh, N.P. & Yadav, S.R.: A new species of Camptorrhiza (Colchicaceae) from India 735
Siphokentia 231
Sistotremataceae 46
Sisymbrium orientale L. 182
Sivarajan, V.V., Biju, S.D. & Mathew, Philip: Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae) 391
The small-flowered Chinese species of Epimedium (Berberidaceae), William T. Stearn 807
Smith, Albert C.: Flora Vitiensis Nova, a new Flora of Fiji. Volume 5 (Rev.) 431
Smith, G.F. & Wyk, A.E. van: The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy 105
Smitinand, Tem, Tompsett, Paul B. & Cheek, Martin: A new synonym and a range extension for Dipterocarpus alatus 397
Smyrnium perfoliatum 179
Snowdrop: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from NE Turkey, W. Lobin, C.D. Brickell & A.P. Davis 161
Socratea 229, 237
Soejatmia 518, 530
—— *ridleyi* (Gamble) K.M. Wong 530-1, †532
Solanaceae 183, 322
Somalia: The genus Stachys (Labiatae) in Ethiopia and Somalia, Sebsebe Demissew 327
Somalia: A new Convolvulus (Convolvulaceae) from Somalia, Sebsebe Demissew 381
Somalia: Taeniorhachis: a new genus of Gramineae from Somalia, T.A. Cope 403
Sonchus L. 295
—— *agrestis* Sweet 283
—— *brasiliensis* Meyen & Walp. 283
—— *erythropappus* Meyen & Walp. ex Walp. 285
—— *occidentalis* Spreng. 283, 295
Sophora 672
South America: New species of Panopsis (Proteaceae) from South America, K.S. Edwards & G.T. Prance 637
South India: Precursory notes for a Flora of the Palni Hills, South India: II, K.M. Matthew 757
Spartina arundinacea (Thouars) Carmich. 83
Spermacoce 278
Spermacoce
Spermacoce apiculata Willd. ex Roem. & Schult. 278
—— *assurgens* Ruiz & Pav. 278
—— *rigida* Willd. ex Roem. & Schult. 278
—— *setosa* 278
Sphaerobambos 530
Sphingidae 178
Stachys: The genus Stachys (Labiatae) in Ethiopia and Somalia, Sebsebe Demissew 327
Stachys: New species of Stachys (Labiatae) from tropical Africa, Sebsebe Demissew 115
Stachys 115, †327-8
—— *aculeolata* Hook.f. 327-8, †329, 330
—— *alpigena* T.C.E. Fr. 327-8, †330
—— —— subsp. *alpigena* †330
—— —— subsp. *longipetala* †330, *332
—— *argillicola* Sebsebe 328, †333, 334
—— —— subsp. *argillicola* †334, *335
—— —— subsp. *barbisina* Sebsebe †334, *335
—— *aspericaulis* Pax 327, 329
—— *balensis* Sebsebe 117, 328, †331, *332
—— *bizensis* Schweinf. ex Baker 327, 329, †340-1
—— *glandulosa* Hutch. & E.A. Bruce 327-8, 337, †339
—— *gossweileri* 118
—— *hildebrandtii* Vatke 327-8, †333-4
—— *humifusa* Burch. ex Benth. 117
—— *hypoleuca* Hochst. ex A. Rich. 327-8, †336-7
—— *jijigaensis* Sebsebe 328, †337, *338-9
—— *kulalensis* Sebsebe †115, *116
—— *palaestina* L. 327, 337, 340
—— —— var. *hypoleuca* (Hochst. ex A. Rich.) Baker 327
—— —— var. —— (Hochst. ex A. Rich.) Benth. 336
—— —— var. *schimperi* (Vatke) Baker 327, 339
—— *pseudohumifusa* Sebsebe †117-8
—— *pseudonigricans* Gürke 331
—— *schimperi* Vatke 327, 329, 337, †339-41
—— *sidamoensis* Gürke 327, 329
—— —— f. *neumanii* T.C.E. Fr. 327, 329
Stachystemon: Notes on Australian Euphorbiaceae II: Pseudanthus and Stachystemon, A. Radcliffe-Smith 165
Stachystemon Planch. 165-7
—— *axillaris* A.S. George 167
—— *brachyphyllus* Muell. Arg. 166
—— *polyandrus* (F. v. Muell.) Benth. 166
—— *vermicularis* Planch. 166
The status of Protasparagus and Myrsiphyllum in the Asparagaceae, S.T. Malcomber & Sebsebe Demissew 63
Stearn, William T.: The small-flowered Chinese species of Epimedium (Berberidaceae) 807
Steatoda bipunctata (L.) 172
Stellaria pallida (Dumort.) Piré 182
Stenobothrus bicolor 173
Stenocephalum Sch. Bip. 250
Stenocline DC. 254
—— *chionaea* DC. 256
—— *gardneri* 256
Stenophalium Anderb. 254, 256-7
almasense D.J.N. Hind †257, *258

Stenophalium
Stenophalium Anderb. 254
—— *chionaeum* (DC.) Anderb. †256, 257
—— *gardneri* (Baker) D.J.N. Hind †256
Stoebe sphaerocephala Schltr. 682
Stratiomyidae 181
Strelitzia × *nivenii* W.R. McNab 664
Strelitziaceae 664
Strobilanthes Blume 763
—— *consanguinea* (Nees) T. Anderson †763
—— *exareolatus* Hook.f. 763
—— —— T. Anderson 763
—— *lurida* Wight †764
—— —— var. *bourneae* Gamble †764
Strophanthus aambe Warburg 139, 140
Strophariaceae 184
Struthiola 672
Studies in the Ericoideae (Ericaceae). X. Nomenclatural changes for the Flore des Mascareignes region, E.G.H. Oliver 767
Studies in the Ericoideae (Ericaceae). XI. The generic relationship between Erica and Blaeria, E.G.H. Oliver 771
Subulina octona (Brug.) 171
—— *petrensis* (Morelet) 171
—— *striatella* (Rang) 171
Syconycteris australis Peters 301
Sympetrum striolatum (Charp.) 173, 175
Sympieza Licht. ex Roem. & Schult. 771
Syndesmanthus Klotzsch 771, 778
—— *nivenii* R. Br. 664
Synechanthus 228
Synocteris australis 301, *302, *303
The synonymy of Anodendron paniculatum (Apocynaceae) with notes on distribution and ethnobotany in Papuasia, Paul I. Forster 139
Syringa 53, 56
—— *villosa* 56
Syrphidae 181
Systematic leaf anatomy of Caladenia (Orchidaceae), Alec M. Pridgeon 533
Systematics: Leaf anatomy and systematics of Mariceae (Iridaceae), Paula Rudall †51
Syzygium: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand, P. Chantaranothai & J. Parnell 589
Syzygium Gaertn. 589, †592, 607
—— *aksornii* P. Chantaranothai & J. Parn. †592
—— *anacardiifolium* (Craib) P. Chantaranothai & J. Parn. †592
—— *angkae* (Craib) P. Chantaranothai & J. Parn. †592
—— —— subsp. *angkae* 592
—— —— subsp. *spissum* (Craib) P. Chantaranothai & J. Parn. †592
—— *aqueum* 609
—— *attenuatum* (Miq.) Merr. & L.M. Perry †592
—— —— subsp. *attenuatum* †593
—— —— var. *circumscissum* (Gagnep.) P. Chantaranothai & J. Parn. †593
—— —— var. *montanum* (M.R. Hend.) P. Chantaranothai & J. Parn. †593
—— *boisianum* (Gagnep.) Merr. & L.M. Perry †593
—— —— subsp. *longifolium* P. Chantaranothai & J. Parn. †593, *594

Syzygium
Syzygium cacuminis (Craib) P. Chantaranothai & J. Parn. †595
—— —— subsp. *cacuminis* 595
—— —— subsp. *inthanonense* P. Chantaranothai & J. Parn. 595
—— *campanulatum* Korth. †595-6
—— —— var. *campanulatum* †595-6
—— —— var. *longistylum* P. Chantaranothai & J. Parn. †595-6
—— *caudatum* Wallich 596
—— *cinereum* (Kurz) P. Chantaranothai & J. Parn. †596
—— *claviflorum* Roxb. var. *glandulosum* (King) P. Chantaranothai & J. Parn. †590, 593
—— —— var. *maingayi* (Duthie) P. Chantaranothai & J. Parn. 590, 593
—— *craibii* P. Chantaranothai & J. Parn. †596, *597, 602
—— *dyerianum* (King) P. Chantaranothai & J. Parn. †596
—— *enervosum* P. Chantaranothai & J. Parn. †596
—— *filiforme* (Duthie) P. Chantaranothai & J. Parn. 598
—— *foxworthianum* 601
—— *furfuraceum* Merr. & L.M. Perry 608
—— *fuscescens* (Craib) P. Chantaranothai & J. Parn. †598
—— *glaucum* (King) P. Chantaranothai & J. Parn. †598
—— *globiflorum* (Craib) P. Chantaranothai & J. Parn. †598
—— *grande* (Wight) Walp. †598
—— —— var. *grande* †598
—— —— var. *parviflorum* P. Chantaranothai & J. Parn. †598-9
—— *gratum* (Wight) S.N. Mitra †599
—— —— var. *confertum* P. Chantaranothai & J. Parn. †599
—— —— var. *gratum* †599
—— *helferi* (Duthie) P. Chantaranothai & J. Parn. †599
—— *hemsleyanum* (King) P. Chantaranothai & J. Parn. †599
—— —— subsp. *hemsleyanum* 599
—— —— subsp. *paucinervium* P. Chantaranothai & J. Parn. †599, *600, 601
—— *hulletianum* (King) P. Chantaranothai & J. Parn. †601
—— *ixoroides* P. Chantaranothai & J. Parn. †601, *603
—— *jasminifolium* (Ridl.) P. Chantaranothai & J. Parn. †602
—— *kerrii* P. Chantaranothai & J. Parn. †602, *604
—— *laetum* (F. Ham.) Gandhi †602
—— —— subsp. *jugorum* (Craib) P. Chantaranothai & J. Parn. †602
—— —— subsp. *sublaetum* (Craib) P. Chantaranothai & J. Parn. †602
—— *lakshnakarae* P. Chantaranothai & J. Parn. †605, *606
—— *maingayi* P. Chantaranothai & J. Parn. †605
—— *myrtillus* (Stapf) Merr. & L.M. Perry †605, 607
—— —— var. *borneense* (Miq.) P. Chantaranothai & J. Parn. †605, 607
—— —— var. *myrtillus* 605, 607

Syzygium
Syzygium nitrasirirakii P. Chantaranothai & J. Parn. †607
—— *oblatum* (Roxb.) Wallich ex A.M. & J.M. Cowan †607
—— —— var. *laevicaule* (Duthie) P. Chantaranothai & J. Parn. †607
—— *oblongifolium* (Gillespie) Merr. & L.M. Perry 605
—— *pergamentaceum* (King) P. Chantaranothai & J. Parn. 607
—— *praecox* 596
—— *praineanum* (King) P. Chantaranothai & J. Parn. †608
—— —— subsp. *minor* P. Chantaranothai & J. Parn. †608
—— —— subsp. *praineanum* 608
—— *pseudotetrapterum* (King) P. Chantaranothai & J. Parn. 590, 592
—— *putii* P. Chantaranothai & J. Parn. †608
—— *refertum* (Craib) P. Chantaranothai & J. Parn. †608
—— *ridleyi* (King) P. Chantaranothai & J. Parn. †608
—— *rigens* (Craib) P. Chantaranothai & J. Parn. †609
—— *samarangense* (Blume) Merr. & L.M. Perry †609
—— —— var. *parviflorum* (Craib) P. Chantaranothai & J. Parn. †609
—— —— var. *samarangense* 609
—— *scortechinii* (King) P. Chantaranothai & J. Parn. †609
—— *siamense* (Craib) P. Chantaranothai & J. Parn. †609
—— *spissum* Alston 592
—— *subcordatum* (Merr.) Merr. 605
—— *subhorizontale* (King) P. Chantaranothai & J. Parn. 590, 598
—— *sublaetum* (Ridl.) Merr. & L.M. Perry 602
—— *subrufum* (King) Masamune †609
—— —— subsp. *subrufum* 609
—— —— var. *smalianum* (Brandis) P. Chantaranothai & J. Parn. †609
—— *tetrapterum* (Miq.) P. Chantaranothai & J. Parn. †590, 592
—— *thumra* (Roxb.) Merr. & L.M. Perry †609
—— —— subsp. *punctifolium* (Ridl.) P. Chantaranothai & J. Parn. †610
—— —— subsp. *thumra* 610
—— *variolosum* (King) P. Chantaranothai & J. Parn. 590, 607
—— *zimmermannii* 605

t'Mannetje, L. & Jones, R.M. (Eds.) : Plant Resources of South-East Asia. (Prosea) No 4. Forages (Rev.) 633
Taeniorhachis: a new genus of Gramineae from Somalia, T.A. Cope 403
Taeniorhachis Cope †403
—— *repens* Cope †403,*404
Tamus communis L. var. 183
The taxonomic significance of chromosome number in Junellia (Verbenaceae), Silvia Botta & P.E. Brandham 143
Taxonomy and nomenclature of Indian species of Hedyotis (Rubiaceae), V.V. Sivarajan, S.D. Biju & Philip Mathew 391

Tegenaria
Tegenaria atrica 172
—— *gigantea* Chamberlin & Ivie 172
Tenthredinidae 180
Tephritidae 181
Testacella scutulum Sowerby 171
Tettigoniidae 172
Thailand: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula, C.M. Wilmot-Dear 29
Thailand: New taxa and combinations in Cleistocalyx and Syzygium (Myrtaceae) in Thailand, P. Chantaranothai & J. Parnell 589
Thamnus Klotzsch 771
Theridiidae 172
Thesium 672
Thomas, S.: A new combination in Dilochia (Orchidaceae) 401
Thoracosperma Klotzsch 771
Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Thrinax 239
—— *parviflora* 239
Thryothamnus 143
Thyrsostachys 524
Tigridieae subtribe *Cipurinae* 159
Tipula marmorata Mg. 181
Tipulidae 181
Tittmannia laxa (Thunb.) Presl 681
Tompsett, Paul B., Smitinand, Tem & Cheek, Martin: A new synonym and a range extension for Dipterocarpus alatus 397
Toscano de Brito, A.L. & Luer, Carlyle A.: Notes on Brazilian Orchidaceae II 326
Townsend, C.C.: Flora of Tropical East Africa, Umbelliferae. A new synonym 306
Townsend, C.C., Leach, G.J. & Harley, M.M.: Omegandra, a new genus of Amaranthaceae from Australia 787
Toxicodendron 611
Trachycarpus fortunei (W.J. Hook.) H. Wendl. 224
Trichogonia: A new combination in Trichogonia (Compositae), D.J.N. Hind 411
Trichogonia 411
—— *crenulata* (Gardner) D.J.N. Hind †411
—— *hirtiflora* (DC.) Sch. Bip. ex Baker 411
—— *margarethiae* Soares Nunes 411
Tricholomataceae 183
Trichomanes 618
—— *bauerianum* Endl. 618
—— *endlicherianum* C. Presl 618
—— *humile* sensu Endl. 618
—— *saxifragoides* C. Presl 618
Trichopodaceae: A nomenclatural change in Trichopus (Trichopodaceae), K. Narayanan Nair 127
Trichopodium travancoricum Beddome 127
—— *zeylanicum* Thw. 127
Trichopus: A nomenclatural change in Trichopus (Trichopodaceae), K. Narayanan Nair 127
Trichopus 127
—— *malayanus* Ridley 127
—— *zeylanicus* Gaertn. †127

Trichopus

Trichopus zeylanicus subsp. *travancoricus* Burkill ex Narayanan †127-8
—— —— subsp. *zeylanicus* 127
Trichosalpinx 326
—— *mathildae* (Brade) Toscano & Luer †326
Trifolium glomeratum L. 182
—— *subterraneum* L. 182
Trigonostemon 718
—— *zeylanicus* (Muell. Arg.) Muell. Arg. 723
Trimezia Salisb. ex Herbert 151-3, 156-9
—— tribe *Mariceae* 157
—— tribe *Tigridieae* 157
—— sect. *Calolirion* Ravenna 152, 156-7
—— sect. *Juncella* Ravenna 152, 156, 158-9
—— sect. *Neomarica* Ravenna 152, 156-7
—— sect. —— Sprague 152
—— sect. *Platyella* Ravenna 152, 156-7
—— sect. *Trimezia* Ravenna 152, 156-7
—— *caerulea* (Ker-Gawl) Sprague 152
—— *fistulosa* R.C. Foster 152, 156, 158-9
—— *gracilis* Sprague 152, 156
—— *juncifolia* (Klatt) Benth. & Hook.f. 151-3, 156
—— *lutea* 151
—— *martii* (Baker) R.C. Foster 152, 156
—— *martinicensis* 152, 156
—— *northiana* (Schneev.) Sprague 152
—— *paradoxa* Ravenna 152, 157
—— *rupestris* Ravenna 152
—— *sincorana* Ravenna 152-3, 156
—— *spectabilis* Ravenna 152-3, 156
—— *truncata* Ravenna 151-3, 156
—— *violacea* 156
—— sp. 152
—— sp. nov. 152
—— sp. *1* 159
—— sp. aff. *vittata* Sprague 152
Trioza urticae (L.) 177
Tristan-Gough Island group: The genus Asplenium L. (Aspleniaceae: Pteridophyta) in the Tristan-Gough Island group, J.P. Roux 79
Tritaxis zeylanica Muell. Arg. 723
Triticum aestivum L. 182
Triturus v. vulgaris (L.) 171
Trophis P. Browne †316
—— *scandens* (Lour.) Hook. & Arn. 316
—— —— subsp. *megacarpa* (P.S. Green) P.S. Green †316
Tropical Africa: A confusion in Lippia (Verbenaceae) in tropical Africa, Sebsebe Demissew 375
Tropical Africa: New species of Stachys (Labiatae) from tropical Africa, Sebsebe Demissew 115
Tropical Africa: Notes on Fuerstia (Labiatae) in Tropical Africa, Alan Paton 129
Turkey, NE: Galanthus koenenianus (Amaryllidaceae), a remarkable new species of snowdrop from NE Turkey, W. Lobin, C.D. Brickell & A.P. Davis 161
Turneraceae: Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil, Maria Merced Arbo 9
Two new combinations in Crepidomanes and one in Cephalomanes (Hymenophyllaceae), P.S. Green 618
Two new species of Asclepiadaceae from NE Brazil, D.J. Goyder 21

Two new species

Two new species of Euphorbia L. (Euphorbiaceae) from Burma, M.S. Binojkumar & N.P. Balakrishnan 795
Two new species of Habenaria sect. Podandria (Orchidaceae) from West Africa, I.F. la Croix 369
Two new species of Piriqueta (Turneraceae) from Pico das Almas, Brazil, Maria Merced Arbo 9
Two new subspecies of Vigna unguiculata (L.) Walp. (Leguminosae: Papilionoideae), R.S. Pasquet 805
Typha 239

Uapaca: Notes on African Euphorbiaceae XXIX: Uapaca, A. Radcliffe-Smith 611
Uapaca 611-2, 615
—— *benguelensis* Muell. Arg. 612
—— *greenwayi* Suesseng. 612
—— *guineensis* sensu Burtt Davy & Hoyle 614
—— *kirkiana* Muell. Arg. 612
—— *lissopyrena* Radcl.-Sm. †612, *613
—— *nitida* Muell. Arg. †615, †616
—— —— var. *longifolia* (P.A. Duvign.) Radcl.-Sm. †616
—— —— var. *nitida* 616
—— —— var. *sokolobe* f. *longifolia* P.A. Duvign. 616
—— sp. 614
—— sp. nov. 615
Uapacaceae 611
Umbelliferae: Flora of Tropical East Africa, Umbelliferae. A new synonym, C.C. Townsend 306
Umbelliferae: The identity of Himalayan 'Seseli sibiricum' (Umbelliferae), M.G. Pimenov 781
Umbelliferae 182, 760, 781
Urocarpidium peruvianum Krapov. 181
Urophora cardui (L.) 181
Ursina speciosa DC. 682
Urtica pilulifera L. var. *dodartii* (L.) Aschers. 182
Urticaceae: The distribution of Phenax sonneratii and the identity of Pouzolzia conulifera (Urticaceae), I. Friis 407
Urticaceae 408
Utricularia reticulata Smith 737

Vanessa atalanta (L.) 177
Vararia P. Karsten 37, 38, 41, 42, 44, 46, 48, 51
—— *gallica* (Bourd. & Galz.) Donk 48
—— *investiens* (Schwein.) P. Karsten 42
—— *ochroleuca* 39, 42
—— *ochroleucum* (Bourd. & Galz.) Donk 48
Vararioideae Donk 37
Vellozia: Three new species of Vellozia from Pico das Almas, Bahia, Brazil, with an account of their leaf anatomy, Renato de Mello-Silva 1
Vellozia 1
—— *burle-marxii* L.B. Smith & Ayensu 1, 3, 4
—— *campanuloides* Mello-Silva 1-4
—— *canelinha* Mello-Silva 1, *2, †5, 6
—— *caudata* Mello-Silva *2, †3, 6, 8
—— *furcata* L.B. Smith & Ayensu 6
—— *hemisphaerica* Seubert 1, 3-6

Vellozia
Vellozia jolyi L.B. Smith 1, 6, 8
Velloziaceae 1, 246
Verbascum blattaria L. 182
Verbena L. 143, 148-9
—— *nivenii* Vilm. 664
Verbenaceae: A confusion in Lippia (Verbenaceae) in tropical Africa, Sebsebe Demissew 375
Verbenaceae: The taxonomic significance of chromosome number in Junellia (Verbenaceae), Silvia Botta & P.E. Brandham 143
Verbenaceae 664
Verbesina 177
—— *abyssinica* (Sch. Bip.) A. Rich. 470
—— *involucrata* A. Rich. 482
—— *lineata* A. Rich. 490
—— *macrantha* (Sch. Bip.) A. Rich. 485
—— *monticola* Hook.f. 459
—— *rueppellii* (Sch. Bip.) A. Rich. 469
—— *veris* A. Rich. 485
Verdcourt, B.(Ed.): Additions to the Wild Fauna And Flora of the Royal Botanic Gardens, Kew 169
Verdcourt, B. & Adams, C.D.: The identity of Diodia angolensis S. Moore (Rubiaceae) 278
Verdcourt, B.: A new species of Palaquium Blanco (Sapotaceae) from Ceylon 342
Verdcourt, B. *Reviewer*: Flowers of Annonaceae: Morphology, classification, and evolution. Blumea Supplement 7, by E.G.H. van Heusden 817
Verheij, E.W.M., Coronel, R.E. (Eds.) : Edible fruits and nuts. PROSEA (Plant Resources of South-East Asia) (Rev.) 195
Vernonia Schreb. 247-8, 250
—— sect. *Lepidaploa* (Cass.) DC. 253
Vernonia-Lychnophora-Eremanthus 247
Vernonia almasensis D.J.N. Hind 247-8, *249
—— *aurea* Mart. ex DC. 251
—— *bracteata* Wallich var. *peninsularis* C.B. Clarke 763
—— *grandiflora* Less. 248
—— *hypochaeris* DC. 248
—— *myrsinites* Ekman 248, †250
—— *peninsularis* (C.B. Clarke) C.B. Clarke ex Hook.f. †763
—— *pseudaurea* D.J.N. Hind †251, *252
—— *pulneyensis* 763
—— *santosii* (H. Rob.) S. Jones & Coile 247-8
—— —— H. Rob. 247
Verschaffeltia 233
Vertebrata 170
Vespertilionidae 170
Vexatorella alpina (Knight) Rourke 668
Viburnum 181
—— *tinus* 172
Vicia (Leguminosae: Vicieae): A phenetic analysis of Vicia section Atossa series Truncatulae (Leguminosae: Vicieae), N. Maxted 739
Vicia section Atossa: A phenetic analysis of Vicia section Atossa series Truncatulae (Leguminosae: Vicieae), N. Maxted 739
Vicia series Truncatulae: A phenetic analysis of Vicia section Atossa series Truncatulae (Leguminosae: Vicieae), N. Maxted 739
Vicia sensu Kupicha 739
—— L. 739

Vicia
Vicia sect. *Atossa* (Alef.) Asch. & Graebn. 739, †746
—— sect. *Cracca* 740
—— sect. *Truncatula* (B. Fedtsch.) Diklić 746
—— sect. *Vicia* 745
—— ser. *Atossa* 739
—— ser. *Truncatulae* (B. Fedtsch ex Radzhi) Maxted 739, 740, 742, 746
—— subgen. *Megalusa* Alef. 746
—— subgen. *Vicia* sensu Kupicha 739, 746
—— subsect. *Truncatulae* Radzhi 746
—— *abbreviata* Fisch. ex Spreng. 739, 740, 742, 744-6, †749, 751
—— —— subsp. *abbreviata* (Boiss.) Stankevich 749
—— —— subsp. *balansae* (Boiss.) Stankevich 748
—— *balansae* Boiss. 739, 740, 742, 744-6, †748, 752
—— *cassubica* M. Bieb. 749
—— *chlorantha* Heuffel ex Nyman 749
—— *djimilensis* Koch 748
—— *johannis* var. *ecirrhosa* 746
—— *lutea* L. 182
—— *montenegrina* Rohlena 740
—— *noeana* subsp. *noeana* 746
—— *nordmanniana* Owerin 748
—— *oroboides* Wulfen in Jacq. 739
—— *pyrenaica* 745
—— *sativa* 745
—— *sepium* L. 739, 740, 746
—— *tetrasperma* (L.) Schreb. 182
—— *trichomera* Alef. 749
—— *truncatula* Fisch. ex M. Bieb. 739, 740, 744, 749
—— —— Reichenb. 749
—— —— var. *glabriuscula* Ledeb. 749
—— —— var. *major* Owerin 748-9
—— —— var. *typica* Trautv. 749
Vigna unguiculata (L.) Walp.: Two new subspecies of Vigna unguiculata (L.) Walp. (Leguminosae: Papilionoideae), R.S. Pasquet 805
Vigna alba (G. Don) Bak.f. 805
—— *dekindtiana* sensu Brenan 806
—— —— Harms 806
—— *mensensis* Schweinf., pro parte 806
—— *triloba* sensu Hiern 805
—— *unguiculata* (L.) Walp. †805
—— —— subsp. *alba* (G. Don) Pasquet †805
—— —— subsp. *dekindtiana* sensu Verdc. 805
—— —— subsp. —— (Harms) Verdc. 806
—— —— subsp. *mensensis* sensu Verdc. 806
—— —— subsp. *pawekiae* †806
—— —— subsp. *unguiculata* 805
—— —— var. *mensensis* sensu Maréchal, Mascherpa & Stainer 806
—— —— var. *spontanea* (Schweinf.) Pasquet 805
—— —— var. *unguiculata* 805
Vitis vinifera L. 181
Voanioala 234
Vonitra 230
—— *fibrosa* (C.H. Wright) Becc. 225
Vulpes var. *crucigera* (Bechst.) 170

Wachendorfia 672
Wanderley, M.G.L. & Kral, R.: Five new taxa of Xyris (Xyridaceae) from Brazil 577

Washingtonia
Washingtonia 208
Wasshausen, Dieter C.: Notes on Acanthaceae from Pico das Almas, Bahia, Brazil 17
Wendlandiella 228
Werff, van der, Henk: Persea glabra, a new species of Lauraceae from Bahia 25
West Africa: Two new species of Habenaria sect. Podandria (Orchidaceae) from West Africa, I.F. la Croix 369
West, Jon P. & Cowley, Jill: Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae) 799
Wettinia 229, 237
Wiborgia 682
Wickens, G.E. *Reviewer*: Forages. PROSEA (Plant Resources of South-East Asia) No 4., by L. t'Mannetje & R.M. Jones (Eds.) 633
Wielandia 611
Wiesneria triandra (Dalz.) Micheli 737
Wild Fauna: Additions to the Wild Fauna And Flora of the Royal Botanic Gardens, Kew, B. Verdcourt (Ed.) 169
Wild Flora: Additions to the Wild Fauna And Flora of the Royal Botanic Gardens, Kew, B. Verdcourt (Ed.) 169
Wilmot-Dear, C.M.: A new species of Mucuna (Leguminosae-Phaseoleae) from Thailand, and a revised key to the species in Thailand, Indochina and the Malay Peninsula 29
Wodyetia 231
—— *bifurcata* A.K. Irvine 225
Wong, K.M. *Reviewer*: Palms for human needs in Asia. Palm utilization and conservation in India, Indonesia, Malaysia and the Philippines, by D. Johnson 625
Wong, K.M.: Four new genera of bamboos (Gramineae: Bambusoideae) from Malesia 517
Wood, Jeffrey J. *Reviewer*: Orchids of Malaya, by L.B. Segerbäck 429
Wyk, van, A.E. & Smith, G.F.: The generic status of Chortolirion (Aloaceae): evidence from leaf anatomy 105

Xyridaceae: Five new taxa of Xyris (Xyridaceae) from Brazil, R. Kral & M.G.L. Wanderley 577
Xyris
Xyris: Five new taxa of Xyris (Xyridaceae) from Brazil, R. Kral & M.G.L. Wanderley 577
Xyris 583
—— *almae* Kral & Wanderley †577, *578
—— *blepharophylla* Kunth 583
—— *ciliata* Thunb. 579, 581
—— *fibrosa* Kral & Wanderley 581, *582
—— *glandacea* Alb. Nilss. 579
—— *harleyi* Kral & L.B. Smith 581, 583
—— *peregrina* Malme 583
—— *picea* Kral & Wanderley †579, *580-1
—— *pterygoblephara* Steud. †583, 585
—— —— var. *vernicosa* Kral & Wanderley †583, *584
—— —— var. *pterygoblephara* 583
—— *rigidiformis* Malme 581, 583
—— *sincorana* Kral & Wanderley †586, *587
—— *tortula* C. Mart. 579, 586, 588
—— —— C. Martius 577
—— *veruina* Malme 581, 583

Yadav, S.R., Patil, V.N., Dixit, G.B. & Singh, N.P.: A new species of Brachystelma (Asclepiadaceae) from India 59
Yadav, S.R. & Singh, N.P.: A new species of Camptorrhiza (Colchicaceae) from India 735
Young, T.W.K. & Pegler, D.N.: Basidiome structure in Lachnocladiales sensu lato 37

Zappi, D.C. *Reviewer*: Bibliografia Botánica Taxonómica de Chile, by C. Marticorena 195
Zappi, D.C.: A new combination in Garcinia (Guttiferae) 410
Zingiberaceae: Floristic notes and chromosome numbers of some Chinese Roscoea (Zingiberaceae), Jon P. West & Jill Cowley 799
Zingiberaceae 799
Zingiberales 239
Zmarzty, Sue: A reconsideration of Gypsophila series Deserticolae Barkoudah (Caryophyllaceae) including G. capillaris (Forssk.) C. Chr. 683
Zygophyllum 672
Zygaena filipendulae anglicola Trem. 177
Zygaenidae 177

Printed in UK for HMSO
Dd 0297912 10/94 C7 Ed(043012)